

CertainTeed
RESTORATION MILLWORK®
Exterior Trim

Bond & Fill®

- 1.6 oz. Cartridges
- 2-part acrylic adhesive and filler
- Set-up 5-8 minutes
- Cure time 30 minutes

- Applicator Gun
(sold in starter kit or separately)
- TrimSTICK™ nail hole filler
- Extra Nozzles available separately
(hardened mix in the nozzle cannot be cleaned out)
- Caulking gun adapter available separately
(to fit 1.6 oz. cartridges in full size caulking gun)



BondFill.com
877-822-4615

TrimTight™ (Gorilla PVC)

- 8 oz. can or 16 oz. can
- Low VOC and virtually no odor
- Cleans up with water
- Re-usable can with swab applicator
- Set-up 10 minutes
- Cure time 24 hrs at 72 °F



TrimTight.com
877-874-6458

It is strongly recommended that all joints be glued in addition to nailing to control expansion and contraction

- Pieces need to be clean, dry and in complete contact with each other
- PVC adhesives have a limited working time
- All joints need to be mechanically fasten-through the joint or on either side
 - Never use glue alone to fasten a joint
- Mitered or scarf joint provide the best joints for gluing and appearance.
 - Butt joints are hard to glue and hold
 - Butt joints are more noticeable
- Regular pipe cement does not have UV inhibitors and will yellow