

Steep-Slope Roofing Products - Radiative Properties

Color Blend Name	CRRC Rated SR Initial / Aged	CRRC Rated TE Initial / Aged	CRRC Product ID Number	ASTM E408 Initial TE	Initial Solar Reflective Index (SRI)*	Energy Star Rated?
LANDMARK SOLARIS PLATINUM						
Coastal Tan	0.40 / 0.36	0.91 / 0.90	0668-0079	0.95	47	YES
Santa Fe Blend	0.40 / 0.35	0.90 / 0.91	0668-0080	0.94	47	YES
Sierra Buff	0.41 / 0.37	0.92 / 0.90	0668-0078	0.95	48	YES
LANDMARK SOLARIS GOLD and LANDMARK SOLARIS GOLD IR						
Max Def Resawn Shake	0.26 / 0.25	0.88 / 0.90	0668-0051	0.96	29	YES
Max Def Weathered Wood	0.25 / 0.24	0.90 / 0.89	0668-0050	0.95	28	YES
LANDMARK SOLARIS						
Aged Cedar	0.26 / 0.24	0.92 / 0.90	0668-0055	0.95	26	NO
Sunset Shake	0.26 / 0.23	0.92 / 0.90	0668-0056	0.95	25	NO
Dusky Clay	0.26 / 0.23	0.93 / 0.90	0668-0057	0.95	25	NO
Crystal Gray	0.27 / 0.26	0.92 / 0.90	0668-0058	0.95	29	YES
PRESIDENTIAL SOLARIS						
Max Def Weathered Wood	0.25 / 0.23	0.93 / 0.90	0668-0076	0.94	27	YES
LANDMARK						
Mist White	0.26 / 0.28	0.92 / 0.90	0668-0071	0.95	31	YES
Birchwood	0.21 / <i>pending</i>	0.92 / <i>pending</i>	0668-0084	0.95	22	NO
Silver Birch	0.26 / 0.27	0.90 / 0.89	0668-0072	0.95	29	YES
LANDMARK PRO						
Silver Birch	0.26 / 0.27	0.90 / 0.89	0668-0072	0.95	29	YES
NorthGate						
Silver Birch	0.26 / 0.27	0.90 / 0.89	0668-0072	0.95	29	YES
CT-20						
Star White	0.27 / 0.26	0.89 / 0.88	0668-0044	0.95	30	YES
XT-25						
Star White	0.27 / 0.29	0.89 / 0.88	0668-0035	0.95	30	YES
Silver Birch	0.25 / <i>pending</i>	0.87 / <i>pending</i>	0668-0083	0.93	26	NO
XT-30						
Star White	0.29 / 0.28	0.90 / 0.88	0668-0043	0.94	32	YES
Symphony Slate						
Evergreen	0.31 / 0.36	0.90 / 0.90	0668-0067	0.94	35	YES
Colonial Gray	0.26 / 0.30	0.90 / 0.90	0668-0066	0.94	28	YES
Capital Blend	0.26 / 0.32	0.90 / 0.90	0668-0065	0.94	29	YES

*Solar Reflectance Index (SRI) is calculated by ASTM E1980, using ASTM C1549 Solar Reflectance & ASTM E408 Thermal Emittance data