

Fine Fissured High NRC

PERFORMANCE SERIES MINERAL FIBER CEILING



Specification Sheet

Features & Benefits:

- 100% non-directional fissure pattern.
- Excellent for projects requiring high sound absorption.
- No added formaldehyde.

See reverse for additional product specifications.


Applications:

- Hospitality
- Retail
- Offices
- Education
- Healthcare
- Restaurants
- Theatres
- Open Plan Areas


Attributes:

ITEM NUMBER	NOMINAL SIZE (Inches)	EDGE DETAIL	UL CLASSIFIED		LR	RECYCLED CONTENT %
			NRC	CAC		
SAFETONE® CLASS A						
HHF-457 HNRC	24 x 24 x 3/4	Trim	0.70	35	0.83	74
HHF-497 HNRC	24 x 48 x 3/4	Trim	0.70	35	0.83	74
HHF-454 HNRC	24 x 24 x 3/4	Reveal	0.70	35	0.83	74
HHF-494 HNRC	24 x 48 x 3/4	Reveal	0.70	35	0.83	74


ASTM E 1264 Classification: Type III, Form 2, Pattern C D



Edge Details:



TRIM EDGE
(Square) 15/16" Grid



REVEAL EDGE
(Beveled) 15/16" Grid



BioShield™
BioShield™ treatment **included** for added mold and mildew resistance.



Product Specification Details

Acoustical Ceilings

09 51 00

PART 2: PRODUCTS

2.1 GENERAL

Provide Acoustical Ceiling Material manufactured to meet requirements of this specification in accordance with ASTM E 1264.

2.2 MATERIALS

Acoustical Ceiling Units:

1. Type III
2. Form 2
3. Pattern [C] [D]
4. Discreet non-directional fissured lay-in panels
5. Size 3/4" thick x [24" x 24"] [24" x 48"]
6. Edge Detail [Trim (Square)] [Reveal]
7. Noise Reduction Coefficient (NRC) 0.70
8. Ceiling Attenuation Class (CAC) 35
9. Light Reflectance Coefficient (LR) 0.83
10. Recycled Content 74
11. Color White
12. Flame Spread Classification (ASTM E 84, CAN/ULC-S102M) Class A
13. Manufacturer, subject to compliance with requirements of this specification, CertainTeed Ceilings
14. Product Name Fine Fissured High NRC

Distributed by:

Characteristics, properties or performance of materials or systems manufactured by CertainTeed herein described are derived from data obtained under controlled test conditions. CertainTeed makes no warranties, express or implied, as to their characteristics, properties or performance under any variations from such conditions in actual construction. CertainTeed assumes no responsibility for the effects of structural movement.

NOTICE: The information in this document is subject to change without notice. CertainTeed assumes no responsibility for any errors that may inadvertently appear in this document.

ASK ABOUT ALL OF OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • WINDOWS • DECKING • RAILING • FENCE
INSULATION • GYPSUM • CEILINGS • FOUNDATIONS • PIPE

CertainTeed Corporation
P.O. Box 860
Valley Forge, PA 19482

Professional: 800-233-8990
Consumer: 800-782-8777

www.certainteed.com <http://blog.certainteed.com>

© 05/10 CertainTeed Corporation
Code No. CTC-4629