

# Versatone™

## PERFORMANCE SERIES

### Fiberglass Ceilings

#### Features & Benefits:


- Vinyl-faced fiberglass panel.
- Ideally suited for environments where economical installation and low maintenance are primary considerations.
- Exceptional sound absorption.
- Handsomely embossed vinyl facings are soil/odor resistant and washable, providing an easily maintained surface.

#### Applications:

- Offices
- Retail
- Healthcare
- Open Plan Areas
- Warehouses

#### Relative Installed Cost:

\$\$\$\$



#### LEED 2009: NC, CI, & Schools

#### LEED 2009 for Schools

Optimize Energy

Building Reuse

Waste Management

Recycled Content

Regional Materials

Renewable Materials

Daylight & Views

Acoustic Performance

Low-emitting



Attributes:

ITEM NUMBER	NOMINAL SIZE (Inches)	EDGE DETAIL	R-VALUE	NRC PERF.*	NRC UNPERF.	CAC	AC	LR	RECYCLED CONTENT %
<b>SAFETONE® CLASS A</b>									
<b>White Vintage</b>									
1532-VIN-1	24 x 24 x 5/8	Trim	2.7	0.70	0.65	—	180	0.79	41-42
1530-VIN-1	24 x 48 x 5/8	Trim	2.7	0.70	0.65	—	180	0.79	41-42
<b>White Astra</b>									
1532-AST-1	24 x 24 x 5/8	Trim	2.7	0.70	0.65	—	180	0.78	41-42
1530-AST-1	24 x 48 x 5/8	Trim	2.7	0.70	0.65	—	180	0.78	41-42
<b>White Stipple</b>									
1532-STP-1	24 x 24 x 5/8	Trim	2.7	0.70	0.65	—	180	0.73	41-42
1530-STP-1	24 x 48 x 5/8	Trim	2.7	0.70	0.65	—	180	0.73	41-42
<b>Black Astra</b>									
1532-AST-5	24 x 24 x 5/8	Trim	2.7	0.70	0.65	—	180	—	41-42
1530-AST-5	24 x 48 x 5/8	Trim	2.7	0.70	0.65	—	180	—	41-42


ASTM E 1264 Classification: Type XII, Form 1, Pattern C E (perforated), E (unperforated)

\*Ordering Procedure: To order perforation, add P to code.

Example: 1532-VINP-1




Edge Detail:



**TRIM EDGE**  
(Square) 1/8" Grid

Finishes:

LR=Light Reflectance



**WHITE ASTRA**  
AST-1 (LR=0.78)



**BLACK ASTRA**  
AST-5 (LR=0.03)



**WHITE STIPPLE**  
STP-1 (LR=0.73)



**WHITE VINTAGE**  
VIN-1 (LR=0.79)

Product Features at a Glance:

- FINISHES
- NOISE REDUCTION
- RESISTS SAGGING
- WASHABLE/ SCRUBBABLE

