


Certificate of Compliance

Certificate Number **020909-R684E**
Report Reference **R684, April 27, 1971**
Issue Date **2009-02-09**

Page 1 of 1



Issued to: **Certainteed Corp**
Blue Bell, PA 19422

*This is to certify that
representative samples of*

Prepared Roof Covering Materials

Class A Fire Resistant, Asphalt Glass Fiber Mat and Laminated Shingles,
designated: Landmark TL Shingles, Presidential TL or Presidential Shake
Shingles.


*Have been investigated by Underwriters Laboratories Inc.® in accordance
with the Standard(s) indicated on this Certificate.*

Standard(s) for Safety: ANSI/UL 790/ASTM E108, Tests for Fire Resistance of Roof Covering Materials;
UL 997/ASTM D3161, Wind Resistance of Prepared Roof Covering Materials;
ASTM D3462, Asphalt Shingles made from Glass Felt and Surfaced with Mineral
Granules; ASTM D3018, Class A Asphalt Shingles Surfaced with Mineral Granules.

Additional Information: These products are manufactured by CertainTeed.

These shingles are composed of a glass fiber mat impregnated and coated on both
sides with asphalt, surfaced with mineral granules.

**Only those products bearing the UL Listing Mark should be considered
as being covered by UL's Listing and Follow-Up Service.**

The UL Listing Mark generally includes the following elements: the symbol
UL in a circle:  with the word "LISTED"; a control number (may be
alphanumeric) assigned by UL; and the product category name (product
identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product

Issued by: *William G. Marshall*
William G Marshall
Underwriters Laboratories Inc.

Reviewed by: *Alpesh Patel*
Alpesh Patel
Underwriters Laboratories Inc.