

Safety Data Sheet

Section 1: Identification

Product identifier

Product Name • Adagio High CAC

Relevant identified uses of the substance or mixture and uses advised against

Recommended use • Consult manufacturer for recommended product use.

Details of the supplier of the safety data sheet

Manufacturer • CertainTeed Ceilings
20 Moores Rd.
Malvern, PA 19355
United States

Telephone (General) • 800-782-8777

Emergency telephone number

Manufacturer • 800-424-9300

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012 • Carcinogenicity 1A

Label elements

OSHA HCS 2012

DANGER



Hazard statements • May cause cancer.

Precautionary statements

Prevention • Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.

Response • IF exposed or concerned: Get medical advice/attention.

Storage/Disposal • Store locked up.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Other hazards

OSHA HCS 2012 • Under United States Regulations (29 CFR 1910.1200 - Hazard Communication)

Standard), this product is considered hazardous.

Canada

According to: WHMIS 2015

Classification of the substance or mixture

WHMIS 2015 • Carcinogenicity 1A

Label elements

WHMIS 2015

DANGER



Hazard statements • May cause cancer.

Precautionary statements

Prevention • Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.

Response • IF exposed or concerned: Get medical advice/attention.

Storage/Disposal • Store locked up.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Other hazards

WHMIS 2015 • In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

Substances

• Material does not meet the criteria of a substance.

Mixtures

| Composition | | | | | |
|--|----------------|---------------|--|--|----------|
| Chemical Name | Identifiers | % | LD50/LC50 | Classifications According to Regulation/Directive | Comments |
| Cellulose | CAS:65996-61-4 | 10% TO 15% | NDA | OSHA HCS 2012: Comb. Dust WHMIS 2015: Comb. Dust | NDA |
| Starch | CAS:9005-84-9 | 5% TO 10% | NDA | OSHA HCS 2012: Comb. Dust WHMIS 2015: Comb. Dust | NDA |
| Phenol, polymer with formaldehyde and urea | CAS:25104-55-6 | 5% TO 10% | Ingestion/Oral-Rat LD50 • 7 g/kg | OSHA HCS 2012: Not Classified WHMIS 2015: Not Classified | NDA |
| Mineral oil, petroleum distillates, solvent -dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | CAS:64742-65-0 | < 3% | Ingestion/Oral-Rat LD50 • >5000 mg/kg Skin-Rabbit LD50 • >5000 mg/kg | OSHA HCS 2012: Not Classified WHMIS 2015: Not Classified | NDA |

| | | | Inhalation-Rat LC50 • >5 mg/L 4 Hour(s) | | |
|-----------------------|----------------|-----------|--|---|-----|
| Titanium dioxide | CAS:13463-67-7 | < 1% | NDA | OSHA HCS 2012: Muta. 2; Carc. 2 (Inhl); STOT RE 2 (Lungs/Inhl) WHMIS 2015: Muta. 2; Carc. 2 (Inhl); STOT RE 2 (Lungs/Inhl) | NDA |
| Poly(vinyl alcohol) | CAS:9002-89-5 | < 1% | NDA | OSHA HCS 2012: Comb. Dust WHMIS 2015: Comb. Dust | NDA |
| Calcium monocarbonate | CAS:471-34-1 | < 0.1% | Ingestion/Oral-Rat LD50 • 6450 mg/kg | OSHA HCS 2012: Exposure limits | NDA |
| Crystalline silica | CAS:14808-60-7 | < 0.0011% | NDA | OSHA HCS 2012: Exposure limits | NDA |

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

- Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. If signs/symptoms continue, get medical attention.

Skin

- In case of contact with substance, immediately flush skin with running water for at least 20 minutes.

Eye

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

- Rinse mouth. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5: Fire-Fighting Measures

Extinguishing media

- Suitable Extinguishing Media** • LARGE FIRE: Water spray, fog or regular foam.
SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

Unsuitable Extinguishing Media

- No data available

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

- No data available

Hazardous Combustion Products

- No data available

Advice for firefighters

- Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Ventilate enclosed areas. Do not walk through spilled material. Use appropriate Personal Protective Equipment (PPE)

Emergency Procedures

- As an immediate precautionary measure, isolate spill or leak area for at least 25 meters (75 feet) in all directions. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. Keep unauthorized personnel away.

Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Avoid generating dust. Pick up large pieces. Vacuum dust. If sweeping is necessary, use a dust suppressant such as water. These procedures will help to minimize potential exposures. Scoop up material and put into a suitable container for disposal.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

- Use only in well ventilated areas. The product is stable and non-reactive under normal conditions of use, storage and transport. Minimize dust generation and accumulation. Wear appropriate personal protective equipment, avoid direct contact. Avoid breathing dusts generated from this product. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

Conditions for safe storage, including any incompatibilities

Storage

- Store flat in a dry area.

Section 8 - Exposure Controls/Personal Protection

Control parameters

| Exposure Limits/Guidelines | | | | | | |
|-------------------------------------|--------|---|--|---|---|---|
| | Result | ACGIH | Canada British Columbia | Canada Manitoba | Canada New Brunswick | Canada Northwest Territories |
| Crystalline silica (14808-60-7) | TWAs | 0.025 mg/m ³ TWA (respirable particulate matter) | 0.025 mg/m ³ TWA (respirable) | 0.025 mg/m ³ TWA (respirable particulate matter) | 0.1 mg/m ³ TWA (respirable fraction) | 0.05 mg/m ³ TWA (respirable fraction, listed under Silica - crystalline) |
| Calcium monocarbonate (471-34-1) | STELs | Not established | Not established | Not established | Not established | 20 mg/m ³ STEL (listed under Limestone) |
| | TWAs | Not established | Not established | Not established | Not established | 10 mg/m ³ TWA (listed under Limestone) |
| Titanium dioxide (13463-67-7) | TWAs | 10 mg/m ³ TWA | 10 mg/m ³ TWA (total dust); 3 mg/m ³ TWA (respirable fraction) | 10 mg/m ³ TWA | 10 mg/m ³ TWA | 10 mg/m ³ TWA |
| | STELs | Not established | Not established | Not established | Not established | 20 mg/m ³ STEL |
| Exposure Limits/Guidelines (Con't.) | | | | | | |
| | Result | Canada Nova Scotia | Canada Nunavut | Canada Ontario | Canada Quebec | Canada Yukon |
| | | | | 0.10 mg/m ³ TWA | | |

| | | | | | | |
|----------------------------------|-------|---|---|--|--|---|
| Crystalline silica (14808-60-7) | TWAs | 0.025 mg/m ³ TWA (respirable particulate matter) | 0.05 mg/m ³ TWA (respirable fraction, listed under Silica - crystalline) | (designated substances regulation, respirable, listed under Silica, crystalline) | 0.1 mg/m ³ TWAEV (respirable dust) | 300 particle/mL TWA (listed under Silica - Quartz, crystalline) |
| Calcium monocarbonate (471-34-1) | STELs | Not established | 20 mg/m ³ STEL (listed under Limestone) | Not established | Not established | 20 mg/m ³ STEL |
| | TWAs | Not established | 10 mg/m ³ TWA (listed under Limestone) | Not established | 10 mg/m ³ TWAEV (total dust) | 30 mppcf TWA; 10 mg/m ³ TWA |
| Titanium dioxide (13463-67-7) | TWAs | 10 mg/m ³ TWA | 10 mg/m ³ TWA | 10 mg/m ³ TWA | 10 mg/m ³ TWAEV (containing no Asbestos and <1% Crystalline silica, total dust) | 30 mppcf TWA (as Ti); 10 mg/m ³ TWA (as Ti) |
| | STELs | Not established | 20 mg/m ³ STEL | Not established | Not established | 20 mg/m ³ STEL (as Ti) |

Exposure Limits/Guidelines (Con't.)

| | Result | NIOSH | OSHA |
|----------------------------------|--------|--|---|
| Crystalline silica (14808-60-7) | TWAs | 0.05 mg/m ³ TWA (respirable dust) | 50 µg/m ³ TWA (listed under Respirable crystalline silica) |
| Calcium monocarbonate (471-34-1) | TWAs | 10 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable dust) | Not established |
| Titanium dioxide (13463-67-7) | TWAs | Not established | 15 mg/m ³ TWA (total dust) |

Exposure Control Notations

ACGIH

- Titanium dioxide (13463-67-7): **Carcinogens:** (A4 - Not Classifiable as a Human Carcinogen)
- Crystalline silica (14808-60-7): **Carcinogens:** (A2 - Suspected Human Carcinogen)

Exposure Limits Supplemental

OSHA

- Crystalline silica (14808-60-7): **Mineral Dusts:** ((250)/(%SiO₂ + 5) mppcf TWA, respirable fraction; (10)/(%SiO₂ + 2) mg/m³ TWA, respirable fraction)

ACGIH

- Titanium dioxide (13463-67-7): **TLV Basis - Critical Effects:** (lower respiratory tract irritation)
- Crystalline silica (14808-60-7): **TLV Basis - Critical Effects:** (lung cancer; pulmonary fibrosis)

Exposure controls

Engineering Measures/Controls

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment).

Personal Protective Equipment

Respiratory

- For limited exposure use an N95 dust mask. For prolonged exposure use an air-purifying respirator with high efficiency particulate air (HEPA) filters. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Wear safety goggles.

Skin/Body

- Wear appropriate gloves. Wear long sleeves and/or protective coveralls.

Environmental Exposure Controls

- Follow best practice for site management and disposal of waste.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

TLV = Threshold Limit Value determined by the American Conference of Governmental Industrial Hygienists (ACGIH)

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

TWAEV = Time-Weighted Average Exposure Value

Section 9 - Physical and Chemical Properties**Information on Physical and Chemical Properties**

| Material Description | | | |
|-------------------------------------|--------------------|------------------------------|---|
| Physical Form | Solid | Appearance/Description | Various colored fiberglass & mineral fiber composite acoustical ceiling panel with no odor. |
| Color | Various | Odor | No odor. |
| Odor Threshold | No data available | | |
| General Properties | | | |
| Boiling Point | No data available | Melting Point/Freezing Point | No data available |
| Decomposition Temperature | No data available | pH | No data available |
| Specific Gravity/Relative Density | 0.1 to 0.2 Water=1 | Water Solubility | No data available |
| Viscosity | No data available | | |
| Volatility | | | |
| Vapor Pressure | No data available | Vapor Density | No data available |
| Evaporation Rate | No data available | | |
| Flammability | | | |
| Flash Point | No data available | UEL | No data available |
| LEL | No data available | Autoignition | No data available |
| Flammability (solid, gas) | No data available | | |
| Environmental | | | |
| Octanol/Water Partition coefficient | No data available | | |

Section 10: Stability and Reactivity**Reactivity**

- No dangerous reaction known under conditions of normal use.

Chemical stability

- Stable under normal temperatures and pressures.

Possibility of hazardous reactions

- Hazardous polymerization will not occur.

Conditions to avoid

- Avoid creating dusts.

Incompatible materials

- H₂S gas can be formed on contact with strong acids.

Hazardous decomposition products

- As expected from any organic material, hazardous products will mainly be derived from pyrolysis of the resin. The products may include carbon monoxide, carbon dioxide, hydrocarbon particles, carbon-hydrogen-nitrogen and nitrogen-oxygen compounds.

Section 11 - Toxicological Information

Information on toxicological effects

| | | Components |
|--|----------------|---|
| Phenol, polymer with formaldehyde and urea (5% TO 10%) | 25104 -55-6 | Acute Toxicity: Ingestion/Oral-Rat LD50 • 7 g/kg |
| Titanium dioxide (< 1%) | 13463 -67-7 | Irritation: Skin-Human • 300 µg 3 Day(s)-Intermittent • Mild irritation; Multi-dose Toxicity: Inhalation-Rat TCLo • 10 mg/m ³ 6 Hour(s) 13 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:</i> Fibrosis (interstitial); Lungs, Thorax, or Respiration:Other changes; <i>Biochemical:Metabolism (intermediary):</i> Effect on inflammation or mediation of inflammation; Inhalation-Rat TCLo • 250 mg/m ³ 6 Hour(s) 4 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:</i> Chronic pulmonary edema; Lungs, Thorax, or Respiration:Other changes; Mutagen: Micronucleus test • Ingestion/Oral-Mouse • 280 mg/kg 7 Day(s)-Intermittent; DNA damage • Ingestion/Oral-Mouse • 280 mg/kg 7 Day(s)-Intermittent; Cytogenetic analysis • Ingestion/Oral-Mouse • 280 mg/kg 7 Day(s)-Intermittent; Tumorigen / Carcinogen: Inhalation-Rat • 10 mg/m ³ 18 Hour(s) 2 Year(s)-Intermittent; <i>Tumorigenic:</i> Carcinogenic by RTECS criteria; Lungs, Thorax, or Respiration:Tumors; Inhalation-Rat TCLo • 250 mg/m ³ 6 Hour(s) 2 Year(s)-Intermittent; <i>Tumorigenic:</i> Carcinogenic by RTECS criteria; Lungs, Thorax, or Respiration:Tumors |
| Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) (< 3%) | 64742 -65-0 | Acute Toxicity: Ingestion/Oral-Rat LD50 • >5000 mg/kg; Inhalation-Rat LC50 • >5 mg/L 4 Hour(s); Skin-Rabbit LD50 • >5000 mg/kg; Tumorigen / Carcinogen: Skin-Mouse • 389 g/kg 78 Week(s)-Intermittent; <i>Tumorigenic:</i> Equivocal tumorigenic agent by RTECS criteria; Skin and Appendages:Other:Tumors; <i>Tumorigenic:</i> Tumors at site of application; Skin-Mouse TDLo • 386 g/kg 22 Week(s)-Intermittent; <i>Tumorigenic:</i> Equivocal tumorigenic agent by RTECS criteria; Skin and Appendages:Other:Tumors; <i>Tumorigenic:</i> Tumors at site of application |
| Poly(vinyl alcohol) (< 1%) | 9002- 89-5 | Acute Toxicity: Ingestion/Oral-Rat LD50 • 23854 mg/kg; <i>Behavioral:</i> Muscle weakness; <i>Gastrointestinal:</i> Hypermotility, diarrhea; <i>Liver:Other changes; Multi-dose Toxicity: Ingestion/Oral-Rat TDLo • 2184 mg/kg 26 Week(s)-Intermittent; <i>Behavioral:</i>Somnolence (general depressed activity); <i>Nutritional and Gross Metabolic:</i>Gross Metabolite Changes:Weight loss or decreased weight gain; <i>Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels:</i>Transaminases; Ingestion/Oral-Rat TDLo • 15000 mg/kg 30 Day(s)-Intermittent; <i>Kidney, Ureter, and Bladder:Other changes; <i>Blood:Changes in spleen;</i> <i>Nutritional and Gross Metabolic:</i>Gross Metabolite Changes:Weight loss or decreased weight gain; Mutagen: Dominant lethal test • Ingestion/Oral-Rat • 14700 mg/kg; Reproductive: Ingestion/Oral-Rat TDLo • 14700 mg/kg (35W pre); <i>Reproductive Effects:Effects on Fertility:</i>Pre-implantation mortality</i></i> |

| GHS Properties | Classification |
|-------------------------------|---|
| Acute toxicity | OSHA HCS 2012 • No data available WHMIS 2015 • No data available |
| Skin corrosion/Irritation | OSHA HCS 2012 • No data available WHMIS 2015 • No data available |
| Serious eye damage/Irritation | OSHA HCS 2012 • No data available WHMIS 2015 • No data available |

| | |
|----------------------------------|---|
| Skin sensitization | OSHA HCS 2012 • No data available WHMIS 2015 • No data available |
| Respiratory sensitization | OSHA HCS 2012 • No data available WHMIS 2015 • No data available |
| Aspiration Hazard | OSHA HCS 2012 • No data available WHMIS 2015 • No data available |
| Carcinogenicity | OSHA HCS 2012 • Carcinogenicity 1A WHMIS 2015 • Carcinogenicity 1A |
| Germ Cell Mutagenicity | OSHA HCS 2012 • No data available WHMIS 2015 • No data available |
| Toxicity for Reproduction | OSHA HCS 2012 • No data available WHMIS 2015 • No data available |
| STOT-SE | OSHA HCS 2012 • No data available WHMIS 2015 • No data available |
| STOT-RE | OSHA HCS 2012 • No data available WHMIS 2015 • No data available |

Potential Health Effects

Inhalation

Acute (Immediate)

- Exposure to dust may cause irritation. Processes such as cutting, grinding, crushing, or impact may result in generation of excessive amounts of airborne dusts in the workplace. Nuisance dust may affect the lungs but reactions are typically reversible.

Chronic (Delayed)

- Prolonged exposures to high levels of respirable dust may cause a loss or reduction of pulmonary functions. Registry of Toxic Effects of Chemical Substances (RTECS) concludes that repeated or prolonged inhalation of glass, oxide, chemicals may cause leukemia.

Skin

Acute (Immediate)

- Exposure to dust may cause mechanical irritation.

Chronic (Delayed)

- No data available

Eye

Acute (Immediate)

- Exposure to dust may cause mechanical irritation. Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.

Chronic (Delayed)

- No data available

Ingestion

Acute (Immediate)

- Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.

Chronic (Delayed)

- No data available

Carcinogenic Effects

- This product contains crystalline silica as cristobalite and/or quartz. IARC Monographs on Evaluation of Carcinogenic Risk of Chemicals to Humans (Monograph 68, 1997) concludes that there is sufficient evidence for the carcinogenicity of crystalline silica to humans (IARC Group I). Crystalline Silica is classified as a Known Carcinogen according to NTP. This material may contain titanium dioxide. The International Agency for Research on Cancer (IARC) lists titanium dioxide as a Group 2B - Possible Carcinogen.

| Carcinogenic Effects | | | |
|-----------------------------|------------|------------------------------|------------------------|
| | CAS | IARC | NTP |
| Crystalline silica | 14808-60-7 | Group 1-Carcinogenic | Known Human Carcinogen |
| Titanium dioxide | 13463-67-7 | Group 2B-Possible Carcinogen | Not Listed |

Key to abbreviations

LC = Lethal Concentration
 LD = Lethal Dose
 TC = Toxic Concentration
 TD = Toxic Dose

Section 12 - Ecological Information

Toxicity

- Material data lacking.

Persistence and degradability

- Material data lacking.

Bioaccumulative potential

- Material data lacking.

Mobility in Soil

- Material data lacking.

Other adverse effects

- No known significant effects or critical hazards.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

| | UN number | UN proper shipping name | Transport hazard class (es) | Packing group | Environmental hazards |
|-----------|----------------|-------------------------|-----------------------------|----------------|-----------------------|
| DOT | Not Applicable | Not Regulated | Not Applicable | Not Applicable | NDA |
| TDG | Not Applicable | Not Regulated | Not Applicable | Not Applicable | NDA |
| IMO/IMDG | Not Applicable | Not Regulated | Not Applicable | Not Applicable | NDA |
| IATA/ICAO | Not Applicable | Not Regulated | Not Applicable | Not Applicable | NDA |

Special precautions for user • None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code • No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Chronic

| State Right To Know | | | | |
|---|------------|-----|-----|-----|
| Component | CAS | MA | NJ | PA |
| Calcium mon carbonate | 471-34-1 | No | No | No |
| Cellulose | 65996-61-4 | No | No | No |
| Crystalline silica | 14808-60-7 | Yes | Yes | Yes |
| Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | No | No | No |
| Phenol, polymer with formaldehyde and urea | 25104-55-6 | No | No | No |
| Poly(vinyl alcohol) | 9002-89-5 | No | No | No |
| Starch | 9005-84-9 | No | No | No |
| Titanium dioxide | 13463-67-7 | Yes | Yes | Yes |

| Inventory | | | | |
|---|------------|------------|-------------|------|
| Component | CAS | Canada DSL | Canada NDSL | TSCA |
| Calcium mon carbonate | 471-34-1 | Yes | No | Yes |
| Cellulose | 65996-61-4 | Yes | No | Yes |
| Crystalline silica | 14808-60-7 | Yes | No | Yes |
| Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Yes | No | Yes |
| Phenol, polymer with formaldehyde and urea | 25104-55-6 | Yes | No | Yes |
| Poly(vinyl alcohol) | 9002-89-5 | Yes | No | Yes |
| Starch | 9005-84-9 | Yes | No | Yes |
| Titanium dioxide | 13463-67-7 | Yes | No | Yes |

Canada

Labor

Canada - WHMIS 1988 - Classifications of Substances

| | | |
|--|------------|---|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Uncontrolled product according to WHMIS classification criteria (including 1%) D2A (In certain cases, this |

| | | |
|---|------------|--|
| • Titanium dioxide | 13463-67-7 | classification does not apply. For more information, consult the section Substance Specific Issues - Titanium dioxide, mixture containing on Health Canada's WHMIS Division website.) |
| • Calcium monocarbonate | 471-34-1 | Uncontrolled product according to WHMIS classification criteria |
| • Crystalline silica | 14808-60-7 | D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.) |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |
| Canada - WHMIS 1988 - Ingredient Disclosure List | | |
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | 1 % |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

Environment**Canada - CEPA - Priority Substances List**

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

Canada British Columbia**Environment****Canada - British Columbia - Ozone Depleting Substances**

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

Canada Manitoba

Environment

Canada - Manitoba - Ozone Depleting Substances and Other Halocarbons - Class 1

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

Canada - Manitoba - Ozone Depleting Substances and Other Halocarbons - Class 2

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

Canada Nova Scotia

Environment

Canada - Nova Scotia - Ozone Layer Protection Regulations

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

Canada Ontario

Environment

Canada - Ontario - Ozone Depleting Substances and Other Halocarbons - Class 1 Substances

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

Canada - Ontario - Ozone Depleting Substances and Other Halocarbons - Class 2 Substances

| | | |
|--|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
|--|------------|------------|

| | | |
|---|------------|------------|
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

Canada - Ontario - Ozone Depleting Substances and Other Halocarbons - Halocarbons

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

Canada Yukon

Environment

Canada - Yukon - Ozone Depleting Substances and Other Halocarbons

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

U.S. - OSHA - Specifically Regulated Chemicals

| | | |
|--|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |

| | | |
|---|------------|------------|
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |
|---|------------|------------|

Environment**U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants**

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

| | | |
|--|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |

| | | |
|---|------------|------------|
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |
| U.S. - CERCLA/SARA - Section 313 - Emission Reporting | | |
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |
| U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing | | |
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |
| U.S. - CWA (Clean Water Act) - Hazardous Substances | | |
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |
| U.S. - CWA (Clean Water Act) - Priority Pollutants | | |
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |
| U.S. - CWA (Clean Water Act) - Reportable Quantities of Designated Hazardous Substances | | |
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |

| | | |
|---|------------|------------|
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

U.S. - CWA (Clean Water Act) - Toxic Pollutants

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

United States - California**Environment****U.S. - California - Proposition 65 - Carcinogens List**

| | | |
|---|------------|--|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | carcinogen, 9/2/2011 (airborne, unbound particles of respirable size) |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

U.S. - California - Proposition 65 - Developmental Toxicity

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

| | | |
|--|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |

| | | |
|---|------------|------------|
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

United States - Pennsylvania**Labor****U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List**

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

| | | |
|---|------------|------------|
| • Phenol, polymer with formaldehyde and urea | 25104-55-6 | Not Listed |
| • Poly(vinyl alcohol) | 9002-89-5 | Not Listed |
| • Cellulose | 65996-61-4 | Not Listed |
| • Starch | 9005-84-9 | Not Listed |
| • Titanium dioxide | 13463-67-7 | Not Listed |
| • Calcium monocarbonate | 471-34-1 | Not Listed |
| • Crystalline silica | 14808-60-7 | Not Listed |
| • Mineral oil, petroleum distillates, solvent-dewaxed heavy paraffinic (mild or nosolvent-refining or hydrotreatment) | 64742-65-0 | Not Listed |

Other Information

- WARNING: This product contains a chemical known to the State of California to cause cancer.

Section 16 - Other Information

Revision Date

- 19/October/2017

Preparation Date

- 19/October/2017

Disclaimer/Statement of Liability

- As of the date of preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable Federal and State Laws. However, no warranty or representation with respect to such information is intended or given.

Key to abbreviations

NDA = No Data Available