

## SUSPENSION SYSTEMS


### 1-1/2" Drywall System



\$\$\$

#### TOOLS

Visit [CertainTeed.com/Ceilings](http://CertainTeed.com/Ceilings)  
Download Technical Brochures  
LEED® Information / BIM Objects  
3-Part Specs / Data Pages



#### MAIN RUNNER



#### CROSS TEE



#### WALL ANGLE



Main Runner



Cross Tee




1-1/2" Wall Angle


#### FEATURES & BENEFITS

- Knurled face for easier screw installation
- Expanded cross tee offering facilitates integration with Types F & G light fixtures
- Web is double stitched for added strength
- Covered by CertainTeed Ceiling Suspension Systems 10-Year Limited Warranty
- Cross tees feature staked-on end tabs for optimal tightness and ease of installation
- Manufactured in accordance with ASTM C635 and in compliance with ASTM C645
- Heavy-duty - All system components minimum .018" HDG steel thickness; complies with ASTM C645
- Stepped-end design featured on cross tees
- Utilizes G-40 hot-dipped galvanized construction for superior corrosion resistance
- G-90 is available for extreme corrosion resistance and exterior applications
- Suitable for use in the following UL/ULC Fire Resistive Assemblies: D501, D502, D503, G041, G523, G524, G526, G527, G528, G529, G553, L502, L508, L513, L515, L525, L526, L529, P506, P508, P509, P510, P513, P514, P560
- Metric sizes available for integration with Gyptone BIG Boards
- High recycled content - 3rd party certified

#### AVAILABLE EDGE DETAILS






#### MAIN RUNNERS





## ATTRIBUTES

										
	DESCRIPTION	DIMENSIONS (INCHES)	SLOT SPACING (INCHES)	STRUCTURAL CLASSIFICATION (ASTM C635)	FIRE RATED	RECYCLED CONTENT TOTAL	RECYCLED CONTENT PRE	RECYCLED CONTENT POST	PIECES PER CARTON	FEET PER CARTON
<b>G40 GALVANIZATION</b>										
DWS12-13-20	HD FR Main Runner G40	144 x 1.6 x 1.5	54, starting 2-1/4" from each end	Heavy Duty	Yes	88%	19%	69%	16	192
DWS1.16-13-20	14" Cross Tee G40	14 x 1.6 x 1.5	None	—	Yes	87%	19%	68%	48	55.9
DWS2-13-20	24" Cross Tee G40	24 x 1.6 x 1.5	10, 12, 14	—	Yes	87%	19%	68%	48	96
DWS2.16-13-20	26" Cross Tee G40	26 x 1.6 x 1.5	12, 14	—	Yes	87%	19%	68%	48	104
DWS3-13-20	36" Cross Tee G40	36 x 1.6 x 1.5	None	—	Yes	87%	19%	68%	48	144
DWS4-13-20	48" Cross Tee G40	48 x 1.6 x 1.5	10, 12, 14, 22, 24, 26, 34, 36, 38	—	Yes	87%	19%	68%	48	192
DWS4.16-13-20	50" Cross Tee G40	50 x 1.6 x 1.5	10, 12, 14, 24, 26, 36, 38, 40	—	Yes	87%	19%	68%	48	200
DWS6-13-20	72" Cross Tee G40	72 x 1.6 x 1.5	22, 24, 26, 46, 48, 50	—	Yes	87%	19%	68%	36	216
DWA1.5-1.5	1.5" WA G40	144 x 1.5 x 1.5	—	—	—	88%	19%	69%	20	240
DWA2-2	2" WA G40	144 x 2 x 2	—	—	—	88%	19%	69%	20	240
<b>G90 GALVANIZATION FOR EXTREME CORROSION RESISTANCE</b>										
DWS12-13-20 G90	HD FR Main Runner G90	144 x 1.6 x 1.5	54, starting 2-1/4" from each end	Heavy Duty	Yes	88%	19%	69%	16	192
DWS1.16-13-20 G90	14" Cross Tee G90	14 x 1.6 x 1.5	None	—	Yes	87%	19%	68%	48	55.9
DWS2-13-20 G90	24" Cross Tee G90	24 x 1.6 x 1.5	10, 12, 14	—	Yes	87%	19%	68%	48	96
DWS2.16-13-20 G90	26" Cross Tee G90	26 x 1.6 x 1.5	12, 14	—	Yes	87%	19%	68%	48	104
DWS3-13-20 G90	36" Cross Tee G90	36 x 1.6 x 1.5	None	—	Yes	87%	19%	68%	48	144
DWS4-13-20 G90	48" Cross Tee G90	48 x 1.6 x 1.5	10, 12, 14, 22, 24, 26, 34, 36, 38	—	Yes	87%	19%	68%	48	192
DWS4.16-13-20 G90	50" Cross Tee G90	50 x 1.6 x 1.5	10, 12, 14, 24, 26, 36, 38, 40	—	Yes	87%	19%	68%	48	200
DWS6-13-20 G90	72" Cross Tee G90	72 x 1.6 x 1.5	22, 24, 26, 46, 48, 50	—	Yes	87%	19%	68%	36	216
DWA1.5-1.5 G90	1.5" WA G90	144 x 1.5 x 1.5	—	—	—	88%	19%	69%	20	240
DWA2-2 G90	2" WA G90	144 x 2 x 2	—	—	—	61%	27%	34%	20	240
	DESCRIPTION	DIMENSIONS (MM)	SLOT SPACING (MM)	STRUCTURAL CLASSIFICATION (ASTM C635)	FIRE RATED	RECYCLED CONTENT TOTAL	RECYCLED CONTENT PRE	RECYCLED CONTENT POST	PIECES PER CARTON	METERS PER CARTON
<b>METRIC SIZES FOR INTEGRATION WITH GYPTONE BIG BOARDS</b>										
DWS3600MM-13-20 G40	HD FR Main Runner	3600 x 41 x 38	150, starting 75 from each end	Heavy Duty	Yes	62%	28%	34%	16	57.6
DWS1500MM-13-20 G40	1500mm Cross Tee	1500 x 41 x 38	150, 350, 250, 250, 350, 150	—	Yes	62%	28%	34%	48	72
DWS1200MM-13-20 G40	1200mm Cross Tee	1200 x 41 x 38	300	—	Yes	62%	28%	34%	48	57.6
DWS750MM-13-20 G40	750mm Cross Tee	750 x 41 x 38	None	—	Yes	62%	28%	34%	48	36
DWS900MM-13-20 G40	900mm Cross Tee	900 x 41 x 38	None	—	Yes	62%	28%	34%	48	43.2
DWS600MM-13-20 G40	600mm Cross Tee	600 x 41 x 38	None	—	Yes	62%	28%	34%	48	28.8
DWA1.5-1.5	38mm Wall Angle	3685 x 38 x 38	—	—	Yes	62%	28%	34%	48	176.8
DWA2-2	51mm Wall Angle	3858 x 51 x 51	—	—	Yes	62%	28%	34%	36	176.8