

CLASSIFICATION:

PRODUCT DESCRIPTION: THIS HPD COVERS THE FOLLOWING CERTAINTTEED CEILINGS PRODUCTS - SYMPHONY M, SYMPHONY M 75, SYMPHONY M HNRC, RX SYMPHONY M, RX SYMPHONY M 75, AND RX SYMPHONY M HNRC.

Section 1: Summary

CONTENT INVENTORY

- Threshold per material
- 100 ppm
 - 1,000 ppm
 - Per GHS SDS
 - Per OSHA MSDS
 - Other

Residuals and impurities considered in 3 of 3 materials

- see Section 2: Material Notes
- see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input checked="" type="radio"/>	<input type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents..... 1
 Contents highest concern GreenScreen Benchmark or List translator Score..... BM-1
 Nanomaterial..... No

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

CERTAINTTEED CEILINGS SYMPHONY M BOARD [MINERAL WOOL (BIOSOLUBLE, WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ? 18 % BY WEIGHT) **LT-UNK** SOLUBLE STARCH **NoGS** CELLULOSE, MICROCRYSTALLINE **NoGS** PERLITE **LT-UNK**] CERTAINTTEED CEILINGS SYMPHONY M COATING [CALCIUM CARBONATE **BM-3** KAOLIN CLAY **LT-UNK** | CAN TALC **BM-1** | CAN TITANIUM DIOXIDE **LT-1** | CAN | END QUARTZ **LT-1** | CAN] CERTAINTTEED CEILINGS SYMPHONY M VEIL [GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED) **LT-UNK** POLYVINYL ACETATE (PVA) **LT-UNK**]

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE

VOC content: VOC Emissions Certificate of Compliance
 Recycled content: Third Party Verified Recycled Content Certificate

See Section 3 for additional listings.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: June 16, 2017	EXPIRY DATE*: June 16, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: June 16, 2017	* or within 3 months of significant change in product contents
*See HPDC website for details			



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

CERTAINTEED CEILINGS SYMPHONY M BOARD %: 93.0000 - 96.0000 HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: Yes

Material Notes:

MINERAL WOOL (BIOSOLUBLE, WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE ID: 65997-17-3
CONTENT ? 18 % BY WEIGHT)

%: 62.0000 - 70.0000 GS: LT-UNK RC: None NANO: NO ROLE: Core Board

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

SOLUBLE STARCH ID: 9005-84-9

%: 8.0000 - 10.0000 GS: NoGS RC: None NANO: NO ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

CELLULOSE, MICROCRYSTALLINE ID: 9004-34-6

%: 7.0000 - 10.0000 GS: NoGS RC: None NANO: NO ROLE: Core Board

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

PERLITE ID: 93763-70-3

%: 5.0000 - 8.0000 GS: LT-UNK RC: None NANO: NO ROLE: Core Board

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:**CERTAINTED CEILINGS SYMPHONY M COATING %: 1.5000 - 6.0000 HPD URL:**

Inventory Threshold: 100 ppm

Residuals Considered: Yes

Material Notes:**CALCIUM CARBONATE**

ID: 471-34-1

%: 3.0000 - 5.0000

GS: BM-3

RC: None

NANO: NO

ROLE: Paint Additive

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:**KAOLIN CLAY**

ID: 1332-58-7

%: 0.5000 - 0.8000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Paint Additive

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES:**TALC**

ID: 14807-96-6

%: 0.3000 - 0.5000

GS: BM-1

RC: None

NANO: NO

ROLE: Paint Additive

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES:**TITANIUM DIOXIDE**

ID: 13463-67-7

%: 0.1000 - 0.5000

GS: LT-1

RC: None

NANO: NO

ROLE: Paint Additive

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES:

QUARTZ

ID: 14808-60-7

%: Impurity/Residual GS: LT-1 RC: None NANO: NO ROLE: Impurity/Residual

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens

SUBSTANCE NOTES:

CERTAINTEED CEILINGS SYMPHONY M VEIL %: 0.5000 - 1.5000 HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: Yes

Material Notes:

GLASS / MINERAL FIBER (POST-CONSUMER RECYCLED)

ID: 65997-17-3

%: 1.8000 - 2.1000 GS: LT-UNK RC: None NANO: NO ROLE: Veil

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found	No warnings found on HPD Priority lists
------------	---

SUBSTANCE NOTES:

%: 0.5000 - 0.7500

GS: LT-UNK

RC: None

NANO: NO

ROLE: Adhesive

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC CONTENT

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES:

CERTIFICATE URL:

<https://www.certainteed.com/resources/Symphony%20M%20Cert%20of%20Compliance%20VOC%20Oct%202011.pdf>

CERTIFICATION AND COMPLIANCE NOTES:

VOC Emissions Certificate of Compliance

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
0000-00-00	0000-00-00	Berkley Analytical

RECYCLED CONTENT

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES:

CERTIFICATE URL:

https://www.certainteed.com/resources/CTC_GCC_Recycled_Content_Cert_Symphony_m_RxSymphony.m.pdf

CERTIFICATION AND COMPLIANCE NOTES:

Third Party Verified Recycled Content Certificate

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
0000-00-00	0000-00-00	

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: Saint Gobain

CONTACT NAME: Robert Marshall

ADDRESS: CertainTeed Ceilings 20 Moores Road
Malvern, PA 19355
USA

TITLE: Senior Technical Service Manager

PHONE: 800-233-8990

WEBSITE: <https://www.certainteed.com/commercial-ceilings/>

EMAIL: Robert.L.Marshall@saint-gobain.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

GLO Global warming

PHY Physical Hazard (reactive)

CAN Cancer

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicity

MUL Multiple hazards

RES Respiratory sensitization

END Endocrine activity

NEU Neurotoxicity

SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity

OZO Ozone depletion

LAN Land Toxicity

GEN Gene mutation

PBT Persistent Bioaccumulative Toxic

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

LT-P1 List Translator Possible Benchmark 1

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)

LT-1 List Translator Likely Benchmark 1

BM-1 Benchmark 1 (avoid - chemical of high concern)

LT-UNK List Translator Benchmark Unknown (insufficient
information from List Translator lists to benchmark)

BM-U Benchmark Unspecified (insufficient data to benchmark)

UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.