

**CLASSIFICATION:** 09 51 13 Acoustical Panel Ceilings

**PRODUCT DESCRIPTION:** This HPD covers the following CertainTeed product: Vinylrock

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

Residuals/Impurities  
Considered in 2 of 2 Materials

Explanation(s) provided  
for Residuals/Impurities?  
 Yes  No

*All Substances Above the Threshold Indicated Are:*

**Characterized**  Yes Ex/SC  Yes  No  
*% weight and role provided for all substances.*

**Screened**  Yes Ex/SC  Yes  No  
*All substances screened using Priority Hazard Lists with results disclosed.*

**Identified**  Yes Ex/SC  Yes  No  
*All substances disclosed by Name (Specific or Generic) and Identifier.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**GYPSUM CORE-BOARD [ CALCIUM SULFATE DIHYDRATE LT-UNK**  
**GLUCOSE BM-3 SODIUM POLYNAPHTHALENESULFONATE LT-P1 | PBT**  
**METAPHOSPHORIC ACID (H3P3O9), TRISODIUM SALT LT-UNK MINERAL**  
**WOOL, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI**  
**EARTH OXIDE CONTENT ≤ 18 % BY WEIGHT LT-UNK POLY(OXY-1,2-**  
**ETHANEDIYL), ALPHA-SULFO-OMEGA-HYDROXY-, C8-10-ALKYL**  
**ETHERS, AMMONIUM SALTS LT-UNK ACETIC ACID ETHENYL ESTER,**  
**POLYMER WITH ETHENOL LT-UNK QUARTZ LT-1 | CAN PROTEIN**  
**HYDROLYSATE [USP] NoGS ] GYPSUM PAPER FACING [ CELLULOSE,**  
**MICROCRYSTALLINE NoGS POLYVINYL CHLORIDE (PVC) LT-P1 | RES**  
**POLYVINYL ACETATE (PVA) LT-UNK STARCH LT-UNK STARCH, 2-**  
**HYDROXYETHYL ETHER, BASE-HYDROLYZED NoGS ]**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen  
Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

All raw materials have been screened thru the HPD Builder Tool. Residuals and impurities have been considered during this evaluation.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -  
Classroom & Office scenario

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-01-22

PUBLISHED DATE: 2019-01-22

EXPIRY DATE: 2022-01-22



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

### GYPSUM CORE-BOARD

#: 89.0000 - 92.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered.

OTHER MATERIAL NOTES:

### CALCIUM SULFATE DIHYDRATE

ID: 10101-41-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-01-22

#: 89.0000 - 92.0000

GS: LT-UNK

RC: UNK

NANO: No

ROLE: Core Board

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Residuals and impurities have been noted and QA analysis at the plant is available.

### GLUCOSE

ID: 50-99-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-01-22

#: 0.2500 - 0.5000

GS: BM-3

RC: None

NANO: No

ROLE: Gypsum crystal setting time

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Residuals and impurities have been considered.

### SODIUM POLYNAPHTHALENESULFONATE

ID: 9084-06-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-01-22

#: 0.1500 - 0.3000

GS: LT-P1

RC: None

NANO: No

ROLE: Gypsum crystal formation

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans

SUBSTANCE NOTES: Due to the potential human health concerns, R&D is actively seeking a replacement.

### METAPHOSPHORIC ACID (H3P3O9), TRISODIUM SALT

ID: 7785-84-4

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2019-01-22</b>		
%: <b>0.0500 - 0.1500</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Panel Strength</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: Residuals and impurities have been considered.

### MINERAL WOOL, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤ 18 % BY WEIGHT

ID: 65997-17-3

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2019-01-22</b>		
%: <b>0.0000 - 0.1000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Panel Strength</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: Residuals and impurities have been considered.

### POLY(OXY-1,2-ETHANEDIYL), ALPHA-SULFO-OMEGA-HYDROXY-, C8-10-ALKYL ETHERS, AMMONIUM SALTS

ID: 68891-29-2

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2019-01-22</b>		
%: <b>0.0000 - 0.0500</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Gypsum Core Development</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: Residuals and impurities have been considered.

### ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENOL

ID: 25213-24-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2019-01-22</b>		
%: <b>0.0000 - 0.0500</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Adhesive</b>

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Residuals and impurities have been considered.

**QUARTZ**

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-22**

%: **Impurity/Residual**                      GS: **LT-1**                      RC: **None**                      NANO: **No**                      ROLE: **Impurity/Residual**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

IARC

Group 1 - Agent is Carcinogenic to humans

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources

CANCER

US NIH - Report on Carcinogens

Known to be Human Carcinogen (respirable size - occupational setting)

CANCER

MAK

Carcinogen Group 1 - Substances that cause cancer in man

CANCER

New Zealand - GHS

6.7A - Known or presumed human carcinogens

CANCER

Japan - GHS

Carcinogenicity - Category 1A

CANCER

Australia - GHS

H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Quartz is a naturally occurring contaminant in Gypsum rock. QA levels are available at the production sites.

**PROTEIN HYDROLYSATE [USP]**

ID: 9015-54-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-22**

%: **0.0000 - 0.0500**                      GS: **NoGS**                      RC: **None**                      NANO: **No**                      ROLE: **Gypsum crystal setting time**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Residuals and impurities have been considered.

**GYPSUM PAPER FACING**%: **5.0000 - 7.0000**PRODUCT THRESHOLD: **100 ppm**RESIDUALS AND IMPURITIES CONSIDERED: **Yes**RESIDUALS AND IMPURITIES NOTES: **Residuals and impurities have been considered.**

**CELLULOSE, MICROCRYSTALLINE**

ID: 9004-34-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-22**%: **5.0000 - 7.0000**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Paper Facing**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **Residuals and impurities have been considered.****POLYVINYL CHLORIDE (PVC)**

ID: 9002-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-22**%: **0.7500 - 1.1000**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Panel Facer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**RESPIRATORY****AOEC - Asthmagens****Asthmagen (Rs) - sensitizer-induced**SUBSTANCE NOTES: **Residuals and impurities have been considered.****POLYVINYL ACETATE (PVA)**

ID: 9003-20-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-22**%: **0.7000 - 0.9000**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Adhesive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **Residuals and impurities have been considered.****STARCH**

ID: 9005-25-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-01-22**%: **0.5000 - 1.0000**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Binder for paper to core**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **Residuals and impurities have been considered.****STARCH, 2-HYDROXYETHYL ETHER, BASE-HYDROLYZED**

ID: 68512-26-5

#: **0.5000 - 0.7500**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Binder for paper to core**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **Residuals and impurities have been considered.**

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

**CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario**

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

[https://www.certainteed.com/resources/CTC\\_Certificate\\_Compliance\\_Vinylrock\\_Envirogard.pdf](https://www.certainteed.com/resources/CTC_Certificate_Compliance_Vinylrock_Envirogard.pdf)

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
2011-10-18		Berkeley Analytical

CERTIFICATION AND COMPLIANCE NOTES: **CDPH/EHLB/ Standard Method V1.1**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

For additional information regarding this product please see SDS and Technical information on the website below <https://www.certainteed.com/commercial-ceilings/products/vinylrock/>



## MANUFACTURER INFORMATION

---

MANUFACTURER: **Saint Gobain**

ADDRESS: **20 Moores Road  
Malvern PA 19335, USA**

WEBSITE: **<https://www.certainteed.com/commercial-ceilings/products>**

CONTACT NAME: **Tom Callahan**

TITLE: **Manager, Technical Services, CertainTeed Ceilings**

PHONE: **610-893-1000**

EMAIL: **Thomas.Callahan@Saint-Gobain.com**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*