

PERFORMA®

Symphony® *f*
VOC Compliant



The Symphony® line provides a complete line of ultra-durable acoustic solutions with a consistent, smooth ceiling visual. Combine Symphony, Adagio® and TufCore™ products for targeted acoustics within the same space.

FEATURES & BENEFITS

- High light reflectance enhances conventional lighting, which can reduce fatigue and eye strain
- Superior sound absorption (NRC 0.90-1.00) and optional foil backing increases CAC to 24-25
- Certified clean room component to ISO Class 4 (highest among comparable products)
- Surface washability exceeds 1,000 cycles with sanitizing chemicals
- Exceeds FGI guidelines for cleanability and acoustic performance

APPLICATIONS

- Open Plan Areas
- Waiting Rooms
- Libraries
- Offices
- Nurses' Stations
- Computer Rooms
- Other Commercial Buildings / Space Applications

SMARTFIT PANEL SERIES


A series of popular panel sizes for use alongside linear lighting, ventilation and utility areas

- Offers the same clean, monolithic modular ceiling visual as the rest of the Symphony collection while utilizing standard ceiling components
- Factory-fabrication prior to shipping reduces installation time by eliminating job-site fabrication
- Practical off-the-shelf solution to accommodate utility areas with 4", 6" or 12" wide linear zones

CERTASIZE PROGRAM

The CertaSize program is a special order request program to provide non-standard sizes, edges and foil-backing (Symphony *f*) for the Symphony line of products. CertaSize items have 1 carton minimums and lead times similar to standard made-to-order products. Contact your local sales representative or call 800-233-8990.

AVAILABLE EDGE DETAILS



LOW VOC

\$\$\$



LEED® v4

- MR: Environmental Product Declarations (EPDs)
- MR: Sourcing Raw Materials
- MR: Material Ingredients (HPDs)
- IEQ: Daylight
- IEQ: Low-Emitting Materials
- IEQ: Prereq. Min. Acoustic Performance (Schools)
- IEQ: Acoustic Performance
- MR: PBT Source Reduction (Healthcare)
- IEQ: Interior Lighting
- EA: Prereq. Min. Energy Performance
- EA: Optimize Energy Performance
- Recycled Content
Pre: 0% | Post: 30-37%

TOOLS

Visit CertainTeed.com/Ceilings
Download HPDs and EPDs
LEED® Information / BIM Objects
3-Part Specs / Data Pages



PERFORMA®

Symphony® f
VOC Compliant

ATTRIBUTES - IMPERIAL



	DIMENSIONS (INCHES)	EDGE DETAIL	NRC	CAC+	EPD / HPD AVAILABLE	SAG RESISTANT	MOLD RESISTANT	LR	WASHABLE	WASHABLE WITH SANITIZING CHEMICALS	FIRE CLASS (ASTM E1264)	EMISSION COMPLIANT	RECYCLED CONTENT
FIELD PANELS (3/4")													
1322-IOF-1	24 x 24 x 3/4	Trim	0.90	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
1320-IOF-1	24 x 48 x 3/4	Trim	0.90	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	31%
FIELD PANELS (1")													
1342-IOF-1	24 x 24 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
1342B-IOF-1	24 x 24 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1342F-IOF-1	24 x 24 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13424-44B-IOF-1	24 x 44 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1340-IOF-1	24 x 48 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
1340B-IOF-1	24 x 48 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1340F-IOF-1	24 x 48 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1343-IOF-1	30 x 30 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
1343B-IOF-1	30 x 30 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1343F-IOF-1	30 x 30 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13430-54F-IOF-1	30 x 54 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1349-IOF-1	30 x 60 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
1349B-IOF-1	30 x 60 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1349F-IOF-1	30 x 60 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13442-48F-IOF-1	42 x 48 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1344-IOF-1	48 x 48 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
1344B-IOF-1	48 x 48 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1344F-IOF-1	48 x 48 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
FIELD PANELS (1-1/2")													
1362-IOF-1	24 x 24 x 1-1/2	Trim	1.00	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	37%
1362B-IOF-1	24 x 24 x 1-1/2	Reveal	1.00	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	34%
1362F-IOF-1	24 x 24 x 1-1/2	Narrow Reveal	1.00	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	34%
1360-IOF-1	24 x 48 x 1-1/2	Trim	1.00	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	37%
1360B-IOF-1	24 x 48 x 1-1/2	Reveal	1.00	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	34%
1360F-IOF-1	24 x 48 x 1-1/2	Narrow Reveal	1.00	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	34%
FIELD PANELS (WITH CAC FOIL BACKING)													
1342-IOF-1F	24 x 24 x 1	Trim	0.95	24	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
1342B-IOF-1F	24 x 24 x 1	Reveal	0.95	24	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1342F-IOF-1F	24 x 24 x 1	Narrow Reveal	0.95	24	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1340-IOF-1F	24 x 48 x 1	Trim	0.95	25	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
1340B-IOF-1F	24 x 48 x 1	Reveal	0.95	25	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1343-IOF-1F	30 x 30 x 1	Trim	0.95	25	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
1362-IOF-1F	24 x 24 x 1-1/2	Trim	0.95	25	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	37%
1360-IOF-1F	24 x 48 x 1-1/2	Trim	0.95	25	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	37%
PLANKS													
1347-IOF-1	20 x 60 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
1347B-IOF-1	20 x 60 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1347F-IOF-1	20 x 60 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1341-IOF-1	24 x 60 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
1341B-IOF-1	24 x 60 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1341F-IOF-1	24 x 60 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1358-IOF-1	24 x 72 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
1358B-IOF-1	24 x 72 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1358F-IOF-1	24 x 72 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1346-IOF-1	24 x 96 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
1346B-IOF-1	24 x 96 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1346F-IOF-1	24 x 96 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%

+CAC values with foil backing

The foil-backed products explicitly listed on this sheet are available as standard order offerings. Foil backing is available for the rest of the Symphony f line as special order

>> Continued on next page

ATTRIBUTES - IMPERIAL



	DIMENSIONS (INCHES)	EDGE DETAIL	NRC	CAC+	EPD / HPD AVAILABLE	SAG RESISTANT	MOLD RESISTANT	LR	WASHABLE	WASHABLE WITH SANITIZING CHEMICALS	FIRE CLASS (ASTM E1264)	EMISSION COMPLIANT	RECYCLED CONTENT
SMARTFIT PANELS (4")													
13404-48-IOF-1	4 x 48 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
13404-48B-IOF-1	4 x 48 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13404-48F-IOF-1	4 x 48 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13404-60-IOF-1	4 x 60 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
13404-60B-IOF-1	4 x 60 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13404-60F-IOF-1	4 x 60 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13404-72-IOF-1	4 x 72 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
13404-72B-IOF-1	4 x 72 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13404-72F-IOF-1	4 x 72 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
SMARTFIT PANELS (6")													
13406-48-IOF-1	6 x 48 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
13406-48B-IOF-1	6 x 48 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13406-48F-IOF-1	6 x 48 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13406-60-IOF-1	6 x 60 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
13406-60B-IOF-1	6 x 60 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13406-60F-IOF-1	6 x 60 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13406-72-IOF-1	6 x 72 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
13406-72B-IOF-1	6 x 72 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13406-72F-IOF-1	6 x 72 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13406-96F-IOF-1	6 x 96 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
SMARTFIT PANELS (12")													
13412-24B-IOF-1	12 x 24 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13412-24F-IOF-1	12 x 24 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13412-48-IOF-1	12 x 48 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
13412-48B-IOF-1	12 x 48 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13412-48F-IOF-1	12 x 48 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13412-60-IOF-1	12 x 60 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
13412-60B-IOF-1	12 x 60 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13412-60F-IOF-1	12 x 60 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13412-72-IOF-1	12 x 72 x 1	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	32%
13412-72B-IOF-1	12 x 72 x 1	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
13412-72F-IOF-1	12 x 72 x 1	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%

+CAC values with foil backing

The foil-backed products explicitly listed on this sheet are available as standard order offerings. Foil backing is available for the rest of the Symphony / line as special order

PHYSICAL DATA

MATERIAL

Fiberglass

ASTM E1264 CLASSIFICATION

Type XII, Form 2, Pattern E

FIRE CLASS (ASTM E1264)

Tested according to ASTM E84 & CAN S102

Flame Spread: 25 or less

Smoke Developed: 50 or less

MOLD/MILDEW RESISTANCE

Fiberglass substrate is inherently resistant to the growth of mold and mildew.

VOC EMISSIONS

Independently certified compliant with California Department of Public Health CDPH/EHLB/Standard Method Version 1.1, 2010.

MAINTENANCE

IOF Finish: Clean panel using a sponge/cloth dampened with water and mild liquid detergent solution. Do not soak panel. Cleanable with sanitizing chemicals.

WARRANTY

10-year 104/95 Limited Warranty

PERFORMA®

Symphony® f
VOC Compliant

ATTRIBUTES - METRIC

	DIMENSIONS (MM)	EDGE DETAIL	NRC	CAC+	EPD / HPD AVAILABLE	SAG RESISTANT	MOLD RESISTANT	LR	WASHABLE	WASHABLE WITH SANITIZING CHEMICALS	FIRE CLASS (ASTM E1264)	EMISSION COMPLIANT	RECYCLED CONTENT
FIELD PANELS - METRIC (19 MM)													
1322M-IOF-1	600 x 600 x 19	Trim	0.90	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	31%
1320M-IOF-1	600 x 1200 x 19	Trim	0.90	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	31%
FIELD PANELS - METRIC (25 MM)													
1347M-IOF-1	500 x 1500 x 25	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	31%
1347MB-IOF-1	500 x 1500 x 25	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1347MF-IOF-1	500 x 1500 x 25	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1342M-IOF-1	600 x 600 x 25	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	31%
1342MB-IOF-1	600 x 600 x 25	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1342MF-IOF-1	600 x 600 x 25	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1340M-IOF-1	600 x 1200 x 25	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	31%
1340MB-IOF-1	600 x 1200 x 25	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1340MF-IOF-1	600 x 1200 x 25	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1343M-IOF-1	750 x 750 x 25	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	31%
1343MB-IOF-1	750 x 750 x 25	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1343MF-IOF-1	750 x 750 x 25	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1344M-IOF-1	1200 x 1200 x 25	Trim	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	31%
1344MB-IOF-1	1200 x 1200 x 25	Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1344MF-IOF-1	1200 x 1200 x 25	Narrow Reveal	0.95	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
FIELD PANELS - METRIC (25 MM WITH CAC FOIL BACKING)													
1342MB-IOF-1F	600 x 600 x 25	Reveal	0.95	24	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1342MF-IOF-1F	600 x 600 x 25	Narrow Reveal	0.95	24	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	30%
1340M-IOF-1F	600 x 1200 x 25	Trim	0.95	25	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	31%
FIELD PANELS - METRIC (38 MM)													
1362M-IOF-1	600 x 600 x 38	Trim	1.00	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	37%
1362MF-IOF-1	600 x 600 x 38	Narrow Reveal	1.00	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	34%
1360M-IOF-1	600 x 1200 x 38	Trim	1.00	N/A	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	37%
FIELD PANELS - METRIC (38 MM WITH CAC FOIL BACKING)													
1362MB-IOF-1F	600 x 600 x 38	Reveal	1.00	25	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	34%
1360M-IOF-1F	600 x 1200 x 38	Trim	1.00	25	Yes	Yes	Inherent	0.90	Yes	Yes	Class A	Certified	37%

+CAC values with foil backing

The foil-backed products explicitly listed on this sheet are available as standard order offerings. Foil backing is available for the rest of the Symphony / line as special order

PHYSICAL DATA

MATERIAL

Fiberglass

ASTM E1264 CLASSIFICATION

Type XII, Form 2, Pattern E

FIRE CLASS (ASTM E1264)

Tested according to ASTM E84 & CAN S102

Flame Spread: 25 or less

Smoke Developed: 50 or less

MOLD/MILDEW RESISTANCE

Fiberglass substrate is inherently resistant to the growth of mold and mildew.

VOC EMISSIONS

Independently certified compliant with California Department of Public Health CDPH/EHLB/Standard Method Version 1.1, 2010.

MAINTENANCE

IOF Finish: Clean panel using a sponge/cloth dampened with water and mild liquid detergent solution. Do not soak panel. Cleanable with sanitizing chemicals.

WARRANTY

10-year 104/95 Limited Warranty