

HPD UNIQUE IDENTIFIER: 28807

CLASSIFICATION: 09 54 23 Linear Metal Ceilings

PRODUCT DESCRIPTION: This HPD reflects the Box Series, Deep Box Series, Multi-Box Continuous, Exterior Plank, 300C, 150F, Torsion Spring formulations which can be coated in a wide range of finished and colors.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold Level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Considered in 3 of 3 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	--	---	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

METAL CEILINGS ALUMINUM JWHDE [ALUMINUM BM-1 | END | RES | PHY MANGANESE LT-P1 | END | MUL | REP SILICON LT-UNK IRON LT-P1 | END COPPER LT-P1 | RES | GEN MAGNESIUM LT-UNK | PHY] METAL CEILING PCF [ALUMINUM HYDROXIDE BM-2 | RES TITANIUM DIOXIDE LT-1 | CAN | END C.I. PIGMENT BROWN 24 BM-1 AMORPHOUS SILICA BM-1 | CAN ALUMINUM BM-1 | END | RES | PHY 1,3,5-TRIGLYCIDYL-S-TRIAZINETRIONE LT-1 | MUL | RES | GEN | SKI | MAM | EYE CERAMIC MATERIALS AND WARES, CHEMICALS LT-P1 | MUL BARIUM SULFATE BM-2 | CAN PHENOL, 4,4'-(1-METHYLETHYLIDENE)BIS-, POLYMER WITH 2,2'-[(1-METHYLETHYLIDENE) BIS(4,1-PHENYLENEOXYMETHYLENE)]BIS[OXIRANE] LT-P1 | END] METAL CEILINGS WCF [CYCLOHEXANONE LT-P1 | CAN | END TALC BM-1 | CAN BUTYL ACETATE LT-UNK XYLENE BM-1 | END | MUL | REP | SKI TOLUENE BM-1 | END | DEV | MUL | REP | SKI | PHY | MAM QUARTZ BM-1 | CAN METHYL ETHYL KETONE LT-P1 | END | EYE | PHY]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All materials have been screened through the HPD tool. All residuals and impurities have been considered and noted if the values exceed the reporting threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

<p>Third Party Verified?</p> <p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p>	<p>PREPARER: Self-Prepared</p> <p>VERIFIER:</p> <p>VERIFICATION #:</p>	<p>SCREENING DATE: 2022-06-20</p> <p>PUBLISHED DATE: 2022-06-20</p> <p>EXPIRY DATE: 2025-06-20</p>
--	--	--

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

METAL CEILINGS ALUMINUM JWHDE

#: 90.0000 - 100.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities have been noted when applicable to the HPD's reporting threshold.

OTHER MATERIAL NOTES: The information within this HPD is a compilation of the formulations and finishes from the product lines represented by this HPD. The raw material SDS information, in addition to supplier information was included within the content inventory for each ingredient/substance. All residuals and impurities have been noted when applicable.

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-20 9:48:01

#: 95.0000 - 100.0000

GS: BM-1

RC: None

NANO: Unknown

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H228 - Flammable solid [Flammable solids - Category 1 or 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H261 - In contact with water releases flammable gases [Substances and mixtures which, in contact with water, emit flammable gases - Category 2 or 3]

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-20 9:48:11

#: 0.0000 - 5.0000

GS: LT-P1

RC: None

NANO: Unknown

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

SILICON

ID: 7440-21-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-20 9:48:12

#: 0.0000 - 5.0000

GS: LT-UNK

RC: None

NANO: Unknown

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

IRON ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-06-20 9:48:12	
#: 0.0000 - 5.0000	GS: LT-P1	RC: None	NANO: Unknown SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

COPPER ID: 7440-50-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-06-20 9:48:13	
#: 0.0000 - 5.0000	GS: LT-P1	RC: None	NANO: Unknown SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
GEN	GHS - New Zealand	Germ cell mutagenicity category 1

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

MAGNESIUM ID: 7439-95-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-06-20 9:48:14	
#: 0.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: Unknown SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

METAL CEILING PCF #: 0.0000 - 10.0000

PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Other: Protective Coating
-----------------------------	--	--

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities have been noted when applicable to the HPD's reporting threshold.

OTHER MATERIAL NOTES: The information within this HPD is a compilation of the formulations and finishes from the product lines represented by this HPD. The raw material SDS information, in addition to supplier information was included within the content inventory for each ingredient/substance. All residuals and impurities have been noted when applicable.

ALUMINUM HYDROXIDE

ID: 21645-51-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-20 9:48:08**

#: **0.0000 - 10.0000** GS: **BM-2** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-20 9:48:06**

#: **0.0000 - 10.0000** GS: **LT-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Brightener**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

C.I. PIGMENT BROWN 24

ID: 68186-90-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-20 9:48:06**

#: **0.0000 - 10.0000** GS: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Dye**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

AMORPHOUS SILICA

ID: 7631-86-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-20 9:48:07**

#: **0.0000 - 10.0000** GS: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-20 9:48:04**

#: **0.0000 - 10.0000** GS: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H228 - Flammable solid [Flammable solids - Category 1 or 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H261 - In contact with water releases flammable gases [Substances and mixtures which, in contact with water, emit flammable gases - Category 2 or 3]

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

1,3,5-TRIGLYCIDYL-S-TRIAZINETRIONE

ID: 2451-62-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-20 9:48:08**

#: **0.0000 - 15.0000** GS: **LT-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
GEN	EU - SVHC Authorisation List	Mutagenic - Candidate list
GEN	GHS - Japan	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1B]
GEN	GHS - Korea	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
GEN	GHS - New Zealand	Germ cell mutagenicity category 1

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

CERAMIC MATERIALS AND WARES, CHEMICALS

ID: 66402-68-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-06-20 9:48:09		
%: 0.0000 - 35.0000	GS: LT-P1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

BARIUM SULFATE

ID: 7727-43-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-06-20 9:48:10		
%: 0.0000 - 35.0000	GS: BM-2	RC: None	NANO: Unknown	SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

PHENOL, 4,4'-(1-METHYLETHYLIDENE)BIS-, POLYMER WITH 2,2'-[(1-METHYLETHYLIDENE) BIS(4,1-PHENYLENEOXYMETHYLENE)]BIS(OXIRANE)

ID: 25036-25-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-06-20 9:48:11			
%: 0.0000 - 80.0000	GS: LT-P1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Plasticizer
METAL CEILINGS WCF	%: 0.0000 - 5.0000			

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Other: Protective Coating
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption
RESIDUALS AND IMPURITIES NOTES: All residuals and impurities have been noted when applicable.		Activity applicable to the HPD's reporting threshold.

OTHER MATERIAL NOTES: The information within this HPD is a compilation of the formulations and finishes from the product lines represented by this HPD. The raw material SDS information, in addition to supplier information was included within the content library for each ingredient substance. All residuals and impurities have been noted when applicable.

CYCLOHEXANONE

ID: 108-94-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-06-20 9:48:02			
%: 20.0000 - 40.0000	GS: LT-P1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

TALC

ID: 14807-96-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-06-20 9:48:03			
%: 10.0000 - 30.0000	GS: BM-1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Opacifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2b - Possibly carcinogenic to humans

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

BUTYL ACETATE

ID: 123-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-06-20 9:48:03			
%: 10.0000 - 30.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

XYLENE

ID: 1330-20-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-20 9:48:04**

#: **0.0000 - 5.0000** GS: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

TOLUENE

ID: 108-88-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-05-23 7:52:28**

#: **0.0000 - 5.0000** GS: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEV	G&L - Neurotoxic Chemicals	Developmental Neurotoxicant
DEV	CA EPA - Prop 65	Developmental toxicity
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1A]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-20 9:48:05**

#: **0.0000 - 5.0000** GS: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Impurity**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

METHYL ETHYL KETONE

ID: 78-93-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-20 9:48:05**

%: **0.0000 - 15.0000** GS: **LT-P1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]

SUBSTANCE NOTES: The raw material range is based on content percent from SDS as well as direct inquires with our raw material suppliers.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2019-06-	EXPIRY DATE: 2023-06-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: all facilities all metal ceilings	29	29	
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5ad1e81d55b0e82d946a0bac?page_type=Products%20Catalog			
CERTIFICATION AND COMPLIANCE NOTES: Certificate # 6571-420 UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

All CertainTeed Ceilings products should be handled and installed per the requirements of the manufacturers SDS. For complete Safety and EHS information on any and all CertainTeed Ceilings Products please see <https://www.certainteed.com/ceilings-and-walls/metal/>. Additional Transparency documentation can be found at <https://saintgobain.ecomedes.com/>

MANUFACTURER INFORMATION

MANUFACTURER: **Saint Gobain**
 ADDRESS: **20 Moores Road**
Malvern PA 19355, United States
 WEBSITE: <https://www.certainteed.com/ceilings-and-walls/metal/>.

CONTACT NAME: **CertainTeed Ceilings**
 TITLE: **Director of Engineering**
 PHONE: **1-800-366-4327**
 EMAIL: **David.A.Bailey@saint-gobain.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.