



Arbors

Aristocrat II



- Outside Dimension 91"h x 72"w x 31"d
- Inside Dimension 78-1/2"h x 58"w x 31"d
- Color: White

Beaumont



- Outside Dimension 96"h x 57"w x 32"d
- Inside Dimension 90"h x 49"w x 32"d
- Color: White

Vineyard Pergola



- Outside Dimension 93"h x 89"w x 54"d
- Inside Dimension 84"h x 48"w x 54"d
- Color: White

Features & Benefits

Complement your CertainTeed Selects™ fence with an easy-care vinyl arbor. Choose from three elegant styles that add a personal touch to any outdoor setting.

- Easy assembly
- No tools required
- Virtually maintenance free
- Strong and durable
- Made in the U.S.A.



Aristocrat II arbor shown with Scalloped Newbury fence.

[**Be Certain**] Confidence worth building on.™

ASK ABOUT OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE
GYPSUM • CEILINGS • INSULATION

www.certainteed.com <http://blog.certainteed.com>

CertainTeed Corporation
20 Moores Road
Malvern, PA 19355

Professional: 800-233-8990
Consumer: 800-782-8777

© 06/16 CertainTeed Corporation, Printed in the U.S.A.
Code No. 40-70-350



CertainTeed
SELECTS™

Vinyl Fence Systems

CertainTeed
SAINT-GOBAIN



Table of Contents

page

- 2 The CertainTeed Selects Advantage
- 3 Bracketed Systems
- 4 Easy Ordering
- 5 Planning Your Fence
- 6 Routed Systems
- 7 Post & Rail Systems
- 8 Arbors



All vinyl fences are not created equal. CertainTeed Selects stands out from the competition with premium features found on professionally installed fence products. Don't be fooled by imitators — take a closer look at what sets CertainTeed apart.

Innovative styles, colors and textures

- Exclusive CertaGrain® authentic woodgrain texture
- Sierra Blend color recreates the natural beauty of stained cedar
- ColorLast® dark color fade protection for superior protection from the sun

Steel reinforced bottom rail

- Engineered for outstanding strength and durability
- Reinforced with steel for a stronger, more rigid fence
- Reduced risk of sagging or bowing

8' fence sections

- Less material and fewer posts than other fence products
- Large 8' sections save on time, material and installation

Tongue & groove picket connection

- CertainTeed Selects is a true privacy fence
- Pickets insert into a molded channel — not glued in place

Distinctive Classic Curve deco rail design

- Larger 1-1/2" x 5-1/2" rail with the look of fine woodworking
- Delivers distinctive styling only available from CertainTeed

Outstanding warranty protection

- Exceptional lifetime limited transferable warranty coverage
- Exclusive SureStart™ protection, which covers warranted repair and replacement costs — including labor — for the first five years after installation

Manufactured by CertainTeed

- CertainTeed Selects are manufactured by CertainTeed, one of the nation's largest and most respected building products manufacturers
- CertainTeed has been a trusted name in building products for more than a century


Class A rating for flame spread

- CertainTeed Selects features a Class A rating for flame spread, the best in the business

Newbury




- Size: 4' high x 8' wide
- Color: White
- Pickets: 7/8" x 3" thru-picket "good neighbor" design
- Picket Spacing: 2-15/16"



Scalloped Newbury




- Size: 4' to 3-1/2' high x 8' wide
- Color: White
- Pickets: 7/8" x 3" thru-picket "good neighbor" design
- Picket Spacing: 2-15/16"



Brookhaven




- Size: 6' high x 8' wide
- Color: White
- Pickets: 5/8" x 11-3/8" tongue & groove



Brookhaven with Lattice



- Size: 6' high x 8' wide
- Color: White
- Pickets: 5/8" x 11-3/8" tongue & groove



Brookhaven bracketed fence styles are not recommended for areas where wind speeds exceed 60 mph. For high wind applications, the routed privacy system is recommended.

Features & Benefits

- Thru-pickets slide into routed rail — no screws or rivets
- 11-3/8" tongue & groove pickets — wider pickets equals less installation time; tongue & groove feature eliminates section bracing
- **Larger 8' sections — require less labor and fewer posts than other fence products, providing a clean, continuous look**
- Panel mounting brackets — easy to install and provide installers flexibility for field applications
- Pre-formed channel rails make privacy assembly a snap
- Convenient section packs
- Few parts and pieces — mounting brackets and blank posts eliminate complex parts list
- Simply choose your fence style, post and gate
- **Steel reinforced bottom rail limits sagging**
- Service 80% of your customers' needs with top sellers and provide a full range of fence products with our custom order program
- **"Good neighbor" design — attractive appearance on both sides of fence**
- Tongue & groove picket design on privacy styles
- Distinctive deco rail delivers the look of crown molding
- Matching gates available
- **Brookhaven brackets available in both vinyl and aluminum (aluminum brackets recommended for areas with extreme temperature variations)**



Bracketed System Easy Ordering

Planning Your Fence



Parts List

Newbury 4' x 8' white
 skus: 20351 Unassembled Section
 649575 Blank 4" x 4" x 75" Post
 60504 Bracket Pack
 262509 Pre-Assembled Gate
 70409 Gothic Post Cap


Scalloped Newbury 4' x 8' white
 skus: 203509 Unassembled Section
 649575 Blank 4" x 4" x 75" Post
 60504 Bracket Pack
 262510 Pre-Assembled Gate
 70409 Gothic Post Cap

Brookhaven 6' x 8' white
 skus: 218007 Unassembled Section
 5395096 Blank 5" x 5" x 96" Post
 60503 Bracket Pack
 60506 OR Aluminum Bracket Pack
 656038 Pre-Assembled Gate
 70416 Gothic Post Cap
 70418 OR Flat Cap - External

Brookhaven with Lattice 6' x 8' white
 skus: 218008 Unassembled Section
 5395096 Blank 5" x 5" x 96" Post
 60505 Bracket Pack
 60507 OR Aluminum Bracket Pack
 656043 Pre-Assembled Gate
 70416 Gothic Post Cap
 70418 OR Flat Cap - External

Optional Parts:
 27614 Drop Pin Kit for double gates (holds gate open or shut) - black
 70072 4" x 4" x 72" Aluminum Gate Post Stiffener
 70095 5" x 5" x 94" Aluminum Gate Post Stiffener

Pre-assembled gates include 2 uprights, self-closing hinges, latch, brace and hardware.




To determine the materials you will need:

- Select a fence style.
- Diagram your fence plan and include measurements.
- List measurements (in feet) and divide each by 8 feet (round up to nearest whole number).
 - Side A: 40 ft. ÷ 8 = 5
 - Side B: 72 ft. ÷ 8 = 9
 - Side C: 40 ft. ÷ 8 = 5
 - Side D: 12 ft. ÷ 8 = 1.50 (2)
 - Side E: 14 ft. ÷ 8 = 1.75 (2)
- Total all sides. This total equals number of fence sections and bracket packs needed.
 - Side A: 5
 - Side B: 9
 - Side C: 5
 - Side D: 2
 - Side E: 2
 - Total: 23 sections
23 bracket packs
- Note total number of gates needed. Multiply by 2 for number of posts.
 - 1 Gate x 2 = 2 gate posts = 1 gate
- Add 1 to the total number of fence sections needed. Add number of gate posts needed. This is the total number of blank posts and post caps needed.

23 fence sections	23 fence sections
+ 1	+ 1
+ 2 gate posts	+ 2 gate posts
<u>26 blank posts</u>	<u>26 post caps</u>
- Create material list referencing Parts List to the left.

	Qty	Parts List
fence sections	23	20351
bracket packs	23	60504
blank posts	26	649575
post caps	26	70409
gate	1	262509



Your fence:

- Select a fence style.
- Diagram your fence plan and include measurements.
- List measurements (in feet) and divide each by 8 feet (for Newport, divide by 6) and round up to nearest whole number.
 - Side A: _____ ÷ 8 = _____
 - Side B: _____ ÷ 8 = _____
 - Side C: _____ ÷ 8 = _____
 - Side D: _____ ÷ 8 = _____
 - Side E: _____ ÷ 8 = _____
- Total all sides. This total equals number of fence sections and bracket packs needed.
 - Side A: _____
 - Side B: _____
 - Side C: _____
 - Side D: _____
 - Side E: _____
 - Total: _____ sections
_____ bracket packs


(brackets are not required for routed system rails)

- Note total number of gates needed. Multiply by 2 for number of posts.
 - _____ Gate(s) x _____ = _____ gate posts = _____ gate
- 6a. Add 1 to the total number of fence sections needed. Add number of gate posts needed. This is the total number of blank posts and post caps needed.

_____ fence sections	_____ fence sections
+ 1	+ 1
+ _____ gate posts	+ _____ gate posts
<u>_____ blank posts</u>	<u>_____ post caps</u>
- 6b. Determine routed posts based on your fence layout.
7. Create material list.

	Qty
BRACKETED fence sections	_____
BRACKETED bracket packs	_____
BRACKETED blank posts	_____
BRACKETED post caps	_____
BRACKETED gate	_____

	Qty
ROUTED fence sections	_____
ROUTED end posts	_____
ROUTED line posts	_____
ROUTED corner posts	_____
ROUTED post caps	_____
ROUTED gate	_____



For use in step 8 to determine post configuration in routed systems.

Routed Systems

Post & Rail Systems

Arlington Smooth



- Sizes: 5' & 6' high x 8' wide
- Colors: White, Almond (shown)
- Pickets: 7/8" x 7" tongue & groove

Arlington with Lattice



- Sizes: 6' high x 8' wide
- Colors: White, Almond
- Pickets: 7/8" x 7" tongue & groove

Arlington with CertaGrain® texture



- Sizes: 5' & 6' high x 8' wide
- Color: Sierra Blend
- Pickets: 7/8" x 7" tongue & groove

Newport



- Sizes: 3' & 4' high x 6' wide
- Color: White
- Pickets: 7/8" x 3" pointed
- Picket Spacing: 2-7/16"

Scalloped Newport



- Sizes: 3', 4' & 5' high x 6' wide
- Color: White
- Pickets: 7/8" x 3" pointed
- Picket Spacing: 2-7/16"

Bel Air



- Sizes: 4', 5' & 6' high x 8' wide (5' & 6' height include midrail)
- Colors: White, Almond
- Pickets: 7/8" x 3"
- Picket Spacing: 7/16"

Wilshire



- Sizes: 3', 4', 5' & 6' high x 8' wide (5' & 6' height include midrail)
- Colors: White, Almond
- Pickets: 7/8" x 1-1/2"
- Picket Spacing: 3-5/8"

Features & Benefits

- Privacy channeled rails**
 - Fence section can be racked to follow the slope of the terrain
 - Ensures a safe, secure picket attachment with no glue or screws
- Routed fence post**
 - Superior aesthetics
 - More secure connection allows for thermal expansion season after season
- Routed rails**
 - Fence section can be racked to follow the slope of the terrain
 - Precision routed for a clean, professional finish
 - Ensures a safe, secure picket attachment
- Heavyweight pickets**
 - Provide superior impact strength, resist warping and oil canning of flat panel fence
 - Offering includes both profile and tongue & groove designs
- Steel reinforced bottom rail**
 - Limits sagging and bowing for a stronger fence
 - Hour-glass design grips the end pickets to add stiffness

Post & Rail Smooth



- Sizes: 2 rail, 3 rail & 4 rail
- Colors: White, Almond



Post & Rail with CertaGrain® texture



- Sizes: 2 rail, 3 rail & 4 rail
- Color: White

Spacing

For complete instruction detail, refer to CertainTeed Selects Installation Manual.



Features & Benefits

- CertainTeed's Post & Rail fencing provides a safe, reliable enclosure for horses and other livestock. Available with CertaGrain texture, our post & rail fence offers the authentic look of painted wood fence with the durability, low maintenance and proven performance of CertainTeed's premium vinyl design.
- Available in two finishes: CertaGrain and Smooth
 - Safe and durable horse enclosure
 - Economical and virtually maintenance free
 - Made in the U.S.A.

Rails come in 1-1/2" x 5-1/2" size and 8' and 16' lengths, 8" section width

CertaGrain texture only offered on 1-1/2" x 5-1/2" (Post & Rail styles - White only)

Smooth finish offered on 1-1/2" x 5-1/2" (Post & Rail styles - White and Almond colors)

Go with the Grain

CertaGrain provides an authentic, wood-like appearance you won't find on any other vinyl fence products.

With our Sierra Blend "multi-chromatic" color, CertainTeed recreates the natural beauty of stained cedar in an easy-to-maintain vinyl design. Sierra Blend features CertainTeed's exclusive ColorLast® fade protection. Sierra Blend is available in the Arlington routed privacy fence.

