


# Certificate of Compliance

Certificate Number **020909-R684E**  
Report Reference **R684, April 27, 1971**  
Issue Date **2009-02-09**

Page 1 of 1



*Issued to:* **Certainteed Corp**  
Blue Bell, PA 19422

*This is to certify that  
representative samples of*

## Prepared Roof Covering Materials

Class A Fire Resistant, Asphalt Glass Fiber Mat and Laminated Shingles,  
designated: Landmark TL Shingles, Presidential TL or Presidential Shake  
Shingles.


*Have been investigated by Underwriters Laboratories Inc.® in accordance  
with the Standard(s) indicated on this Certificate.*

*Standard(s) for Safety:* ANSI/UL 790/ASTM E108, Tests for Fire Resistance of Roof Covering Materials;  
UL 997/ASTM D3161, Wind Resistance of Prepared Roof Covering Materials;  
ASTM D3462, Asphalt Shingles made from Glass Felt and Surfaced with Mineral  
Granules; ASTM D3018, Class A Asphalt Shingles Surfaced with Mineral Granules.

*Additional Information:* These products are manufactured by CertainTeed.

These shingles are composed of a glass fiber mat impregnated and coated on both  
sides with asphalt, surfaced with mineral granules.

**Only those products bearing the UL Listing Mark should be considered  
as being covered by UL's Listing and Follow-Up Service.**

The UL Listing Mark generally includes the following elements: the symbol  
UL in a circle:  with the word "LISTED"; a control number (may be  
alphanumeric) assigned by UL; and the product category name (product  
identifier) as indicated in the appropriate UL Directory.

**Look for the UL Listing Mark on the product**

Issued by: *William G. Marshall*  
**William G Marshall**  
Underwriters Laboratories Inc.

Reviewed by: *Alpesh Patel*  
**Alpesh Patel**  
Underwriters Laboratories Inc.