

SECTION 1: IDENTIFICATION

Product Form: Mixture

Product Name: Lite Fill and Finish

Ready mixed to finish drywall indoor surfaces.

Manufacturer

CertainTeed Canada Inc.
2424 Lakeshore Road W
Mississauga, ON, Canada, L5J 1K4
(905)403-2828

1.4. Emergency Telephone Number

Emergency Number :

ChemTel LLC
Domestic: 1-800-255-3924
International: +1-813-248-0585
Australia: 1-300-954-583
Brazil: 0-800-591-6042
China: 400-120-0751
India: 000-800-100-4086
Mexico: 800-099-0731

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification

Skin Sens. 1 H317

Full text of hazard classes and H-statements : see section 16

GHS Labeling

Hazard Pictograms



Signal Word

: Warning

Hazard Statements

: H317 - May cause an allergic skin reaction.

Precautionary Statements

- : P261 - Avoid breathing dust, fume, gas, vapors.
- P272 - Contaminated work clothing should not be allowed out of the workplace.
- P280 - Wear protective gloves, protective clothing, and eye protection.
- P302+P352 - IF ON SKIN: Wash with plenty of water.
- P321 - Specific treatment (see section 4 on this SDS).
- P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
- P362+P364 - Take off contaminated clothing and wash it before reuse.
- P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown acute toxicity

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Synonyms	Product Identifier	%*	GHS Ingredient Classification
Limestone	Chalk / Calcium carbonate	(CAS-No.) 1317-65-3	40 – 60	Not classified
Perlite	Perlit / Expanded perlite	(CAS-No.) 93763-70-3	10 – 20	Not classified
Kaolin	KAOLIN	(CAS-No.) 1332-58-7	≤ 7.5	Not classified

Lite Fill and Finish

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Palygorskite (fiber length <5µm)	Attapulgite / Aluminum magnesium silicate	(CAS-No.) 12174-11-7	≤ 7.5	Not classified
Mica	Silicates, mica / Pigment White 20	(CAS-No.) 12001-26-2	≤ 5	Not classified
Talc (Mg ₃ H ₂ (SiO ₃) ₄)	Magnesium silicate / Trimagnesium tetrasilicon undecaoxide hydrate	(CAS-No.) 14807-96-6	≤ 5	Not classified
Cellulose, 2-hydroxyethyl ether	Hydroxyethylcellulose / Cellosize hydroxyethyl cellulose	(CAS-No.) 9004-62-0	≤ 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Comb. Dust
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	2,2',2''-(Hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol / Triazinetriethanol	(CAS-No.) 4719-04-4	≤ 0.25	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT RE 1, H372

Full text of H-phrases: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. If exposed or concerned: Get medical advice/attention.

Eye Contact: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for at least 15 minutes. Obtain medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

General: Skin sensitization.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: May cause an allergic skin reaction.

Eye Contact: May cause slight irritation to eyes.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Carbon dioxide, dry chemical, foam, water spray, fog.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions. Contains substances that are combustible dusts. If dried, allowed to accumulate may form combustible dust concentrations in air that could ignite and cause an explosion take appropriate precautions.

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Oxides of aluminum. Oxides of magnesium. Nitrogen oxides. Silicon oxides.

Lite Fill and Finish

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

General Measures: Do not get in eyes, on skin, or on clothing. Avoid breathing dust, vapors.

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Prevent entry to sewers and public waters.

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling: Avoid breathing dust, fume, vapors. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.

Incompatible Materials: Strong acids. Strong oxidizers.

Ready mixed to finish drywall indoor surfaces. Also, it can be used on wood, plywood surfaces.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Limestone (1317-65-3)		
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
Kaolin (1332-58-7)		
USA ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³ (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
Mica (12001-26-2)		
USA ACGIH	ACGIH TWA (mg/m ³)	3 mg/m ³ (respirable particulate matter)
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (<1% Crystalline silica) (See 20 CFR 1910.1000 TABLE Z-3)
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	3 mg/m ³ (containing <1% Quartz-respirable dust)
USA IDLH	US IDLH (mg/m ³)	1500 mg/m ³ (containing <1% quartz)
Perlite (93763-70-3)		
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (General Industry - total dust)
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)

Lite Fill and Finish

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Talc (Mg3H2(SiO3)4) (14807-96-6)		
USA ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³ (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen containing no asbestos fibers
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf ((not containing asbestos) containing <1% quartz, if 1% quartz or more; use quartz limit) (See 29 CFR 1910.1000 TABLE Z-3)
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	2 mg/m ³ (containing no Asbestos and <1% Quartz-respirable dust)
USA IDLH	US IDLH (mg/m ³)	1000 mg/m ³ (containing no asbestos and <1% quartz)

Appropriate Engineering Controls: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Liquid
Appearance	: Off-White / Beige paste
Odor	: Odorless
Odor Threshold	: Not available
pH	: 8.0 – 9.5
Evaporation Rate	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not applicable
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20°C	: Not available
Relative Density	: Not available
Density	: 1.1 – 1.3
Specific Gravity	: Not available
Solubility	: Slightly soluble.
Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: Not available

Lite Fill and Finish

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Oxidizing Properties : None known.

SECTION 10: STABILITY AND REACTIVITY

- : Hazardous reactions will not occur under normal conditions. Contains substances that are combustible dusts. If dried, allowed to accumulate may form combustible dust concentrations in air that could ignite and cause an explosion take appropriate precautions.
- : Stable under recommended handling and storage conditions (see section 7).
- : Hazardous polymerization will not occur.
- : Direct sunlight, extremely high or low temperatures, and incompatible materials.
- : Strong acids. Strong oxidizers.
- : Thermal decomposition may produce: Nitrogen oxides. Oxides of aluminum. Carbon oxides (CO, CO₂). Oxides of magnesium. Silicon oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity (Oral): Not classified

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified

pH: 8.0 – 9.5

Eye Damage/Irritation: Not classified

pH: 8.0 – 9.5

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Effects After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Effects After Skin Contact: May cause an allergic skin reaction.

Symptoms/Effects After Eye Contact: May cause slight irritation to eyes.

Symptoms/Effects After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

LD50 and LC50 Data:

Kaolin (1332-58-7)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 5000 mg/kg
Perlite (93763-70-3)	
LD50 Oral Rat	12960 mg/kg (Mouse)
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol (4719-04-4)	
LD50 Oral Rat	763 mg/kg
LC50 Inhalation Rat	0.371 mg/l/4h (Exposure time: 4h, Species: Wistar)
Talc (Mg3H2(SiO3)4) (14807-96-6)	
IARC Group	3
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.
Palygorskite (12174-11-7)	
IARC Group	3
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol (4719-04-4)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.03 mg/l/6h/day (30 mg/m ³)

Lite Fill and Finish

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

SECTION 12: ECOLOGICAL INFORMATION

Ecology - General: Not classified.

1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol (4719-04-4)	
LC50 Fish 1	16.07 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
EC50 Daphnia 1	26.1 mg/l
Talc (Mg3H2(SiO3)4) (14807-96-6)	
LC50 Fish 1	> 100 g/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
Lite Fill and Finish	
Persistence and Degradability	Not established.
Lite Fill and Finish	
Bioaccumulative Potential	Not established.
Talc (Mg3H2(SiO3)4) (14807-96-6)	
BCF Fish 1	(no known bioaccumulation)

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

Not regulated for transport according to: US DOT, IMDG, IATA, and Canada's TDG

SECTION 15: REGULATORY INFORMATION

Chemical Name (CAS No.)	CERCLA RQ	EPCRA 304 RQ	SARA 302 TPQ	SARA 313
Cellulose, 2-hydroxyethyl ether (9004-62-0)	Not applicable	Not applicable	Not applicable	No
Limestone (1317-65-3)	Not applicable	Not applicable	Not applicable	No
Kaolin (1332-58-7)	Not applicable	Not applicable	Not applicable	No
Mica (12001-26-2)	Not applicable	Not applicable	Not applicable	No
Perlite (93763-70-3)	Not applicable	Not applicable	Not applicable	No
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol (4719-04-4)	Not applicable	Not applicable	Not applicable	No
Talc (Mg3H2(SiO3)4) (14807-96-6)	Not applicable	Not applicable	Not applicable	No
Palygorskite (12174-11-7)	Not applicable	Not applicable	Not applicable	No

SARA 311/312

Lite Fill and Finish
Health hazard - Respiratory or skin sensitization

US TSCA Flags

Chemical Name (CAS No.)	US TSCA Flags/ Other Information
Cellulose, 2-hydroxyethyl ether (9004-62-0)	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

California Proposition 65

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Cellulose, 2-hydroxyethyl ether (9004-62-0)	No	No	No	No

Lite Fill and Finish

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Limestone (1317-65-3)	No	No	No	No
Kaolin (1332-58-7)	No	No	No	No
Mica (12001-26-2)	No	No	No	No
Perlite (93763-70-3)	No	No	No	No
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol (4719-04-4)	No	No	No	No
Talc (Mg ₃ H ₂ (SiO ₃) ₄) (14807-96-6)	No	No	No	No
Palygorskite (12174-11-7)	No	No	No	No

State Right-To-Know Lists

Cellulose, 2-hydroxyethyl ether (9004-62-0)

U.S. - Massachusetts - Right To Know List - No
U.S. - New Jersey - Right to Know Hazardous Substance List - No
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No
U.S. - Pennsylvania - RTK (Right to Know) List - No

Limestone (1317-65-3)

U.S. - Massachusetts - Right To Know List - Yes
U.S. - New Jersey - Right to Know Hazardous Substance List - Yes
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No
U.S. - Pennsylvania - RTK (Right to Know) List - Yes

Kaolin (1332-58-7)

U.S. - Massachusetts - Right To Know List - Yes
U.S. - New Jersey - Right to Know Hazardous Substance List - Yes
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No
U.S. - Pennsylvania - RTK (Right to Know) List - Yes

Mica (12001-26-2)

U.S. - Massachusetts - Right To Know List - Yes
U.S. - New Jersey - Right to Know Hazardous Substance List - Yes
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No
U.S. - Pennsylvania - RTK (Right to Know) List - Yes

Perlite (93763-70-3)

U.S. - Massachusetts - Right To Know List - Yes
U.S. - New Jersey - Right to Know Hazardous Substance List - Yes
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No
U.S. - Pennsylvania - RTK (Right to Know) List - Yes

1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol (4719-04-4)

U.S. - Massachusetts - Right To Know List - No
U.S. - New Jersey - Right to Know Hazardous Substance List - No
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No
U.S. - Pennsylvania - RTK (Right to Know) List - No

Talc (Mg₃H₂(SiO₃)₄) (14807-96-6)

U.S. - Massachusetts - Right To Know List - Yes
U.S. - New Jersey - Right to Know Hazardous Substance List - Yes
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No
U.S. - Pennsylvania - RTK (Right to Know) List - Yes

Lite Fill and Finish

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Palygorskite (12174-11-7)
U.S. - Massachusetts - Right To Know List - No
U.S. - New Jersey - Right to Know Hazardous Substance List - No
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List - No
U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances - No
U.S. - Pennsylvania - RTK (Right to Know) List - No

Cellulose, 2-hydroxyethyl ether (9004-62-0)
Listed on the Canadian DSL (Domestic Substances List)
Not listed on the Canadian NDSL (Non-Domestic Substances List)

Limestone (1317-65-3)
Listed on the Canadian NDSL (Non-Domestic Substances List)
Not listed on the Canadian DSL (Domestic Substances List)

Kaolin (1332-58-7)
Listed on the Canadian DSL (Domestic Substances List)
Not listed on the Canadian NDSL (Non-Domestic Substances List)

Mica (12001-26-2)
Listed on the Canadian DSL (Domestic Substances List)
Not listed on the Canadian NDSL (Non-Domestic Substances List)

Perlite (93763-70-3)
Listed on the Canadian DSL (Domestic Substances List)
Not listed on the Canadian NDSL (Non-Domestic Substances List)

1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol (4719-04-4)
Listed on the Canadian DSL (Domestic Substances List)
Not listed on the Canadian NDSL (Non-Domestic Substances List)

Talc (Mg3H2(SiO3)4) (14807-96-6)
Listed on the Canadian DSL (Domestic Substances List)
Not listed on the Canadian NDSL (Non-Domestic Substances List)

Palygorskite (12174-11-7)
Not listed on the Canadian DSL (Domestic Substances List)
Not listed on the Canadian NDSL (Non-Domestic Substances List)

International Inventories/Lists

Chemical Name (CAS No.)	Australia AICS	Turkey CICR	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EU NLP	Mexico INSQ
Cellulose, 2-hydroxyethyl ether (9004-62-0)	Yes	No	Yes	No	No	No	No	Yes
Limestone (1317-65-3)	Yes	No	Yes	Yes	No	No	No	Yes
Kaolin (1332-58-7)	Yes	No	Yes	Yes	No	No	No	Yes
Mica (12001-26-2)	Yes	No	Yes	No	No	No	No	Yes
Perlite (93763-70-3)	Yes	No	Yes	No	No	No	No	Yes
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol (4719-04-4)	Yes	No	Yes	Yes	No	No	No	Yes
Talc (Mg3H2(SiO3)4) (14807-96-6)	Yes	No	Yes	Yes	No	No	No	Yes
Palygorskite (12174-11-7)	Yes	No	No	No	No	No	No	Yes

Chemical Name (CAS No.)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSCL	Japan PRTR	Philippines PICCS	New Zealand NZIOC	US TSCA
Cellulose, 2-hydroxyethyl ether (9004-62-0)	Yes	Yes	Yes	No	No	Yes	Yes	Yes

Lite Fill and Finish

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

Limestone (1317-65-3)	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Kaolin (1332-58-7)	Yes	No	No	No	No	Yes	Yes	Yes
Mica (12001-26-2)	Yes	No	No	No	No	Yes	Yes	No
Perlite (93763-70-3)	Yes	No	No	No	No	Yes	Yes	No
1,3,5-Triazine- 1,3,5(2H,4H,6H)-triethanol (4719-04-4)	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Talc (Mg ₃ H ₂ (SiO ₃) ₄) (14807-96-6)	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Palygorskite (12174-11-7)	Yes	No	No	No	Yes	Yes	Yes	No

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 01/21/2021

Revision Summary

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H331	Toxic if inhaled
H335	May cause respiratory irritation
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Abbreviations and Acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

AIHA: American Industrial Hygiene Association

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

Lite Fill and Finish

Safety Data Sheet

According to U.S. Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations and according to Canada's Hazardous Products Regulation, February 11, 2015.

CAS: Chemical Abstracts Service (division of the American Chemical Society)
NIOSH - National Institute for Occupational Safety and Health
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
OSHA: Occupational Safety & Health Administration
OEL: Occupational Exposure Limits
PEL: Permissible Exposure Limits
STEL: Short Term Exposure Limit
TLV: Threshold Limit Value
TSCA: United States Toxic Substances Control Act

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Saint-Gobain NA GHS SDS