

CertainTeed Sustainable Insulation[®]

FTC Fact Sheet

Please read this before you buy.

What you should know about R-Values

The chart shows the R-Value of CertainTeed fiber glass batt, blanket and roll insulation available in the United States. The “R” designation means resistance to heat flow. The higher the R-Value, the greater the insulating power. Compare insulation R-Values before you buy. There are other factors to consider. The amount of insulation you need depends mainly on the climate you live in. Also, your fuel savings from insulation will depend upon the climate, the type and size of your house, the amount of insulation already in your house, fuel use patterns and family size. If you buy too much insulation, it will cost you more than what you’ll save on fuel. To get the marked R-Value, it is essential that the insulation be installed properly.

If you do not see the product you need, please contact CertainTeed. Availability of products may vary by region and is subject to change without notice.

Product Number	R-Value	Thickness	Width	Length	Pieces	Sq Ft/Pkg
Kraft Batt Products						
Kraft Faced EasyTouch Batts R13						
990932	R13	3 1/2"	15"	93"	13	125.94
Kraft Faced EasyTouch Batts R19						
990931	R19	6 1/4"	23"	93"	9	133.69
990933	R19	6 1/4"	15"	93"	9	87.19
Kraft Faced EasyTouch Batts R30						
990934	R30	10"	16"	48"	11	58.67
Kraft Faced R11						
990215	R11	3 1/2"	15"	93"	16	155
990225	R11	3 1/2"	23"	48"	32	245.33
990265	R11	3 1/2"	16"	96"	16	170.67
990275	R11	3 1/2"	24"	96"	16	256
990716	R11	3 1/2"	24"	96"	16	256
990729	R11	3 1/2"	16"	96"	16	170.67
990955	R11	3 1/2"	23"	93"	16	237.67
991425	R11	3 1/2"	15"	105"	16	175
Sound Attenuation Tabless Kraft Faced Batts R11						
990716	R11	3 1/2"	24"	96"	16	256
990729	R11	3 1/2"	16"	96"	16	170.67
Kraft Faced R13						
990245	R13	3 1/2"	15"	93"	13	125.94
990305	R13	3 1/2"	23"	47"	26	195.18
990355	R13	3 1/2"	23"	93"	13	193.1
990945	R13	3 1/2"	11"	93"	26	184.71
991625	R13	3 1/2"	15"	105"	13	142.19
991755	R13	3 1/2"	16"	96"	13	138.67
991775	R13	3 1/2"	15"	94"	13	127.29
991925	R13	3 1/2"	24"	96"	11	176
Kraft Faced R15 High Performance						
990016	R15	3 1/2"	15"	105"	8	87.5

Product Number	R-Value	Thickness	Width	Length	Pieces	Sq Ft/Pkg
991135	R15	3 1/2"	15"	93"	8	77.5
991345	R15	3 1/2"	23"	93"	8	118.83
Kraft Faced R19						
990185	R19	6 1/4"	15"	48"	18	90
990195	R19	6 1/4"	23"	48"	18	138
990285	R19	6 1/4"	15"	94"	9	88.13
990295	R19	6 1/4"	23"	94"	9	135.13
990298	R19	6 1/4"	24"	48"	18	144
990315	R19	6 1/4"	24"	96"	9	144
990493	R19	6 1/4"	19 1/4"	48"	18	115.5
990717	R19	6 1/4"	16"	96"	9	96
990719	R19	6 1/4"	24"	48"	18	144
990755	R19	6 1/4"	16"	96"	9	96
990885	R19	6 1/4"	11"	93"	18	127.88
990985	R19	6 1/4"	15"	93"	9	87.19
990995	R19	6 1/4"	23"	93"	9	133.69
991895	R19	6 1/4"	15"	105"	9	98.44
Kraft Faced R20						
990908	R20	5 1/2"	15"	93"	8	77.5
Kraft Faced R21 High Performance						
990372	R21	5 1/2"	15"	105"	8	87.5
990561	R21	5 1/2"	16"	96"	8	85.33
991375	R21	5 1/2"	15"	93"	8	77.5
991385	R21	5 1/2"	23"	93"	8	118.83
Kraft Faced R30						
990145	R30	10"	16"	48"	11	58.67
990155	R30	10"	24"	48"	11	88
990212	R30	10"	19 1/4"	48"	11	70.58
990550	R30	10"	12"	48"	22	88
Kraft Faced R30 High Performance Cathedral Ceiling						
990134	R30	8 1/4"	23"	48"	10	76.67

Product Number	R-Value	Thickness	Width	Length	Pieces	Sq Ft/Pkg
990137	R30	8 1/4"	15"	48"	10	50
Kraft Faced R38						
990125	R38	12"	16"	48"	8	42.67
990135	R38	12"	24"	48"	8	64
990497	R38	12"	19 1/4"	48"	8	51.33
Kraft Faced R38 High Performance Cathedral Ceiling						
991565	R38	10 1/4"	15"	48"	7	35
991575	R38	10 1/4"	23"	48"	7	53.67
Kraft Faced R49						
990582	R49	15"	24"	48"	6	48
990857	R49	15"	16"	48"	6	32
990863	R49	15"	19 1/4"	48"	6	38.5
Kraft Faced SpeedyR Batts R15						
990523	R15	3 1/2"	15 1/4"	93"	8	78.79
990676	R15	3 1/2"	15 1/4"	105"	8	88.96
Kraft Faced SpeedyR Batts R13						
990750	R13	3 1/2"	15 1/4"	93"	13	128.04
990757	R13	3 1/2"	15 1/4"	105"	13	144.56
Kraft Faced SpeedyR Batts R19						
990753	R19	6 1/4"	15 1/4"	93"	9	88.64
990758	R19	6 1/4"	15 1/4"	105"	9	100.08
Kraft Faced SpeedyR Batts R21						
990754	R21	5 1/2"	15 1/4"	93"	8	78.79
990756	R21	5 1/2"	15 1/4"	105"	8	88.96
Kraft Faced Tabless R19						
990615	R19	6 1/4"	24"	48"	18	144
Kraft Faced Reduced Piece Count Batts R11						
990234	R11	3 1/2"	15"	93"	9	87.19
990600	R11	3 1/2"	15"	94"	9	88.13
990601	R11	3 1/2"	23"	94"	9	135.13
Kraft Faced Reduced Piece Count Batts R13						
990303	R13	3 1/2"	15"	93"	9	87.19
990602	R13	3 1/2"	15"	94"	9	88.13
Kraft Faced Reduced Piece Count Batts R19						
990266	R19	6 1/4"	15"	93"	5	48.44
990267	R19	6 1/4"	23"	93"	5	74.27
990603	R19	6 1/4"	15"	94"	5	48.96
990604	R19	6 1/4"	23"	94"	5	75.07
Unfaced Batt Products						
Sound Attenuation Unfaced Batts R8						
990735	R8	2 1/2"	16"	96"	18	192
990745	R8	2 1/2"	24"	96"	18	288
Unfaced Batts R11						
990043	R11	3 1/2"	15 1/4"	105"	16	177.92
990433	R11	3 1/2"	11 1/4"	96"	32	240
990440	R11	3 1/2"	23 1/4"	93"	16	240.25
990535	R11	3 1/2"	15 1/4"	93"	16	157.58
990555	R11	3 1/2"	23 1/4"	48"	32	248
990720	R11	3 1/2"	16"	96"	16	170.67

Product Number	R-Value	Thickness	Width	Length	Pieces	Sq Ft/Pkg
990721	R11	3 1/2"	24"	96"	16	256
990722	R11	3 1/2"	24"	48"	32	256
991475	R11	3 1/2"	15 1/4"	94"	16	159.28
Sound Attenuation Unfaced Batts R11						
990722	R11	3 1/2"	24"	48"	32	256
992045	R11	3 1/2"	16"	96"	16	170.67
992055	R11	3 1/2"	24"	96"	16	256
Unfaced Batts R13						
990437	R13	3 1/2"	23 1/4"	93"	13	195.2
990585	R13	3 1/2"	15 1/4"	93"	13	128.04
991785	R13	3 1/2"	15 1/4"	94"	13	129.41
991885	R13	3 1/2"	15 1/4"	105"	13	144.56
991935	R13	3 1/2"	16"	96"	13	138.67
991945	R13	3 1/2"	24"	96"	13	208
Unfaced Batts R15 High Performance						
990448	R15	3 1/2"	15 1/4"	105"	8	88.96
991155	R15	3 1/2"	15 1/4"	93"	8	78.79
991355	R15	3 1/2"	23 1/4"	93"	8	120.13
Unfaced Batts R19						
990119	R19	6 1/4"	15 1/4"	105"	9	100.08
990224	R19	6 1/4"	11 1/4"	93"	18	130.78
990435	R19	6 1/4"	23 1/4"	94"	9	136.59
990485	R19	6 1/4"	15 1/4"	48"	18	91.5
990492	R19	6 1/4"	19 1/4"	48"	18	115.5
990495	R19	6 1/4"	23 1/4"	48"	18	139.5
990515	R19	6 1/4"	15 1/4"	94"	9	89.59
990705	R19	6 1/4"	24"	96"	9	144
990723	R19	6 1/4"	24"	48"	18	144
990724	R19	6 1/4"	16"	96"	9	96
990730	R19	6 1/4"	24"	96"	9	144
990765	R19	6 1/4"	16"	48"	18	96
990785	R19	6 1/4"	16"	96"	9	96
991035	R19	6 1/4"	15 1/4"	93"	9	88.64
991165	R19	6 1/4"	23 1/4"	93"	9	135.14
Sound Attenuation Unfaced Batts R19						
990795	R19	6 1/4"	24"	48"	18	144
Unfaced Batts R20						
990907	R20	5 1/2"	15 1/4"	93"	8	78.79
990981	R20	5 1/2"	15 1/4"	105"	8	88.96
Unfaced Batts R21 High Performance						
990120	R21	5 1/2"	16"	96"	8	85.33
990363	R21	5 1/2"	15 1/4"	105"	8	88.96
990747	R21	5 1/2"	24"	96"	8	128
991185	R21	5 1/2"	15 1/4"	93"	8	78.79
991195	R21	5 1/2"	23 1/4"	93"	8	120.13
Unfaced Batts R22						
990434	R22	6 1/2"	23"	48"	16	122.67
990456	R22	6 1/2"	16"	48"	16	85.33
990457	R22	6 1/2"	24"	48"	16	128

Product Number	R-Value	Thickness	Width	Length	Pieces	Sq Ft/Pkg
990913	R22	6 1/2"	15"	96"	8	80
990919	R22	6 1/2"	15"	93"	8	77.5
Unfaced Batts R25						
991705	R25	8"	16"	96"	7	74.67
991715	R25	8"	24"	96"	7	112
Unfaced Batts R30						
990445	R30	10"	16"	48"	11	58.67
990455	R30	10"	24"	48"	11	88
990496	R30	10"	19 1/4"	48"	11	70.58
990726	R30	10"	24"	48"	11	88
Unfaced Batts R30 High Performance Cathedral Ceiling						
990132	R30	8 1/4"	15 1/4"	48"	10	50.83
990138	R30	8 1/4"	23 1/4"	48"	10	77.5
Unfaced Batts R38						
990415	R38	12"	16"	48"	8	42.67
990425	R38	12"	24"	48"	8	64
990627	R38	12"	19 1/4"	48"	8	51.33
Unfaced Batts R38 High Performance Cathedral Ceiling						
991585	R38	10 1/4"	15 1/4"	48"	7	35.58
991595	R38	10 1/4"	23 1/4"	48"	7	54.25
Unfaced Batts R49						
990860	R49	15"	24"	48"	6	48
990866	R49	10 1/4"	24"	48"	7	56
Unfaced Batts R8						
990727	R8	2 1/2"	16"	96"	18	192
990728	R8	2 1/2"	24"	96"	18	288
Foil/FSK/PSK Faced Products						
Foil Faced Batts R11						
991105	R11	3 1/2"	16"	96"	16	170.67
Foil Faced Batts R19						
991085	R19	6 1/4"	16"	96"	8	85.33
FSK-25 Foil Faced Batts R11						
991305	R11	3 1/2"	16"	96"	14	149.33
991315	R11	3 1/2"	24"	96"	14	224
FSK-25 Foil Faced Batts R13						
990204	R13	3 1/2"	16"	96"	10	106.67
FSK-25 Foil Faced Batts R19						
990905	R19	6 1/4"	16"	48"	16	85.33
990915	R19	6 1/4"	24"	48"	16	128
991325	R19	6 1/4"	16"	96"	8	85.33
FSK-25 Foil Faced Batts R21						
990768	R21	5 1/2"	16"	96"	6	64
FSK-25 Foil Faced Batts R30						
990817	R30	10"	16"	48"	10	53.33
990827	R30	10"	24"	48"	10	80
FSK-25 Foil Faced Batts R38						
990213	R38	12"	24"	48"	6	48
FSK-25 Foil Faced Extended Flange Batts R19						
990870	R19	6 1/4"	23"	93"	8	118.83

Product Number	R-Value	Thickness	Width	Length	Pieces	Sq Ft/Pkg
FSK-25 Foil Faced Extended Flange Batts R30						
990334	R30	10"	24"	48"	10	80
Extended Flange White PSK-25 Batt R19						
990270	R19	6 1/4"	23"	96"	8	122.67
Roll Products						
Kraft Faced R11						
980085	R11	3 1/2"	23"	70' 6"	1	135.13
990057	R11	3 1/2"	15"	40'	1	50
Kraft Faced R13						
990320	R13	3 1/2"	15"	32'	1	40
Kraft Faced Rolls Perforated 94 inches R11						
980075	R11	3 1/2"	15"	70' 6"	1	88.13
990075	R11	3 1/2"	15"	70' 6"	1	88.13
990085	R11	3 1/2"	23"	70' 6"	1	135.13
Kraft Faced Rolls Perforated 94 inches R19						
980105	R19	6 1/4"	15"	39' 2"	1	48.96
980115	R19	6 1/4"	23"	39' 2"	1	75.07
990105	R19	6 1/4"	15"	39' 2"	1	48.96
990115	R19	6 1/4"	23"	39' 2"	1	75.07
Kraft Faced Roll R25						
990993	R25	8"	23"	25'	1	47.92
Unfaced Roll Products R11						
796625	R11	3 3/4"	48"	100'	1	400
990325	R11	3 1/2"	15"	70' 6"	1	88.12
990328	R11	3 1/2"	84"	67'	1	469
990545	R11	3 1/2"	48"	70' 6"	1	282
991905	R11	3 1/2"	23"	70' 6"	1	135.13
Unfaced Roll Products R19						
796639	R19	6 3/8"	72"	50'	1	300
980665	R19	6 1/4"	15"	39' 2"	1	48.96
980675	R19	6 1/4"	23"	39' 2"	1	75.07
990565	R19	6 1/4"	48"	40'	1	160
990586	R19	6 1/4"	28"	50'	2	233.33
990665	R19	6 1/4"	15"	39' 2"	1	48.96
990675	R19	6 1/4"	23"	39' 2"	1	75.07
Unfaced Roll Products R25						
797689	R25	8"	48"	30'	1	120
991295	R25	8"	23"	18'	1	34.5
Premium Blowing Wool						
INSULSAFE SP						
920748	VARIES	refer to spec sheet for coverage				72.5
921400	VARIES	refer to spec sheet for coverage				72.5
921439	VARIES	refer to spec sheet for coverage				72.5
921440	VARIES	refer to spec sheet for coverage				72.5
OPTIMA						
900329	VARIES	refer to spec sheet for coverage				53
900534	VARIES	refer to spec sheet for coverage				53
TRUECOMFORT						
900850	VARIES	refer to spec sheet for coverage				64.5

Product Number	R-Value	Thickness	Width	Length	Pieces	Sq Ft/Pkg
----------------	---------	-----------	-------	--------	--------	-----------

Commercial Building Insulation

Acoustical Thermal Batts Tabless Kraft Faced R19

990719	R19	6 1/4"	24"	48"	18	144
--------	-----	--------	-----	-----	----	-----

Acoustical Thermal Batts Unfaced R8

990727	R8	2 1/2"	16"	96"	18	192
--------	----	--------	-----	-----	----	-----

990728	R8	2 1/2"	24"	96"	18	288
--------	----	--------	-----	-----	----	-----

Acoustical Thermal Batts Unfaced R11

990720	R11	3 1/2"	16"	96"	16	170.67
--------	-----	--------	-----	-----	----	--------

990721	R11	3 1/2"	24"	96"	16	256
--------	-----	--------	-----	-----	----	-----

Acoustical Thermal Batts Unfaced R19

990723	R19	6 1/4"	24"	48"	18	144
--------	-----	--------	-----	-----	----	-----

990724	R19	6 1/4"	16"	96"	9	96
--------	-----	--------	-----	-----	---	----

990730	R19	6 1/4"	24"	96"	9	144
--------	-----	--------	-----	-----	---	-----

Acoustical Thermal Batts Unfaced R30

990726	R30	10"	24"	48"	11	88
--------	-----	-----	-----	-----	----	----

Thermal Kraft Faced Batts R19

990717	R19	6 1/4"	16"	96"	9	96
--------	-----	--------	-----	-----	---	----



CertainTeed

CEILINGS • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM
 20 Moores Road, Malvern, PA 19355 800-233-8990 certainteed.com