

The Symphony line provides a complete line of ultra-durable acoustic solutions with a consistent, smooth ceiling visual. Combine Symphony and Adagio® products for targeted acoustics within the same space.




APPLICATIONS

- Open Plan Areas
- Waiting Rooms
- Nurses' Stations
- Libraries
- Offices
- Computer Rooms
- Other Commercial Buildings / Space Applications

FEATURES AND BENEFITS

- Superior sound absorption (NRC 0.90-1.00) and optional CAC Foil Backing increases CAC to 24-25
- Certified clean room component to ISO Class 4 (highest among comparable products)
- Surface washability exceeds 1,000 cycles with sanitizing chemicals
- Exceeds FGI guidelines for cleanability and acoustic performance
- **SmartFit panels available** - fully fabricated off-the-shelf solution to accommodate linear lighting, ventilation and utility areas with standard components
- **CertaSize® program** - non-standard sizes made to order on select products. One carton minimum. Lead time varies. Contact your local sales rep or Customer Support

SUSPENSION SYSTEM OPTIONS



Trim
15/16 Grid

Reveal
15/16 Grid

Narrow Reveal
9/16 Grid

Narrow Reveal
9/16 Grid Bolt Slot

LEED® v4

RECYCLED CONTENT	29 - 35%
<input checked="" type="checkbox"/>	EA: Optimize Energy Performance
<input checked="" type="checkbox"/>	EA: Prereq. Min. Energy Performance
<input checked="" type="checkbox"/>	EQ: Interior Lighting
<input checked="" type="checkbox"/>	MR: PBT Source Reduction (Healthcare)
<input checked="" type="checkbox"/>	EQ: Acoustic Performance
<input checked="" type="checkbox"/>	EQ: Prereq. Min. Acoustic Performance (Schools)
<input checked="" type="checkbox"/>	EQ: Low-Emitting Materials
<input checked="" type="checkbox"/>	EQ: Daylight
<input checked="" type="checkbox"/>	MR: Material Ingredients (HPDs)
<input checked="" type="checkbox"/>	MR: Sourcing Raw Materials
<input checked="" type="checkbox"/>	MR: Environmental Product Declarations (EPDs)
<input checked="" type="checkbox"/>	MR: Construction and Demolition Waste Management Planning

LEED® is a registered trademark of the U.S. Green Building Council.



EPD Available



HPD Available

All products in this line feature these attributes:



SYMPHONY f

		Format	Dimensions (in.)	NRC	CAC	Recycled Content	Pieces/carton	Sq. Ft./carton	Lbs./carton	Cartons/pallet	
TRIM											
	NRC 100	1362-IOF-1	Panels	24 x 24 x 1-1/2	1.00	—	35%	16	64	34	14
		1360-IOF-1	Panels	24 x 48 x 1-1/2	1.00	—	35%	8	64	34	14
NRC 95	1342-IOF-1	Panels	24 x 24 x 1	0.95	—	31%	24	96	34	14	
	1340-IOF-1	Panels	24 x 48 x 1	0.95	—	31%	12	96	42	14	
	1343-IOF-1	Panels	30 x 30 x 1	0.95	—	31%	12	75	26	28	
	1349-IOF-1	Panels	30 x 60 x 1	0.95	—	31%	12	150	52	14	
	1344-IOF-1	Panels	48 x 48 x 1	0.95	—	31%	12	192	67	7	
	1342-IOF-1F	Panels - CAC Foil Backing	24 x 24 x 1	0.95	24	31%	24	96	34	14	
	1340-IOF-1F	Panels - CAC Foil Backing	24 x 48 x 1	0.95	25	31%	12	96	42	14	
	1343-IOF-1F	Panels - CAC Foil Backing	30 x 30 x 1	0.95	25	31%	12	75	26	28	
	1362-IOF-1F	Panels - CAC Foil Backing	24 x 24 x 1-1/2	0.95	25	35%	16	64	34	14	
	1360-IOF-1F	Panels - CAC Foil Backing	24 x 48 x 1-1/2	0.95	25	35%	8	64	34	14	
	1347-IOF-1	Planks	20 x 60 x 1	0.95	—	31%	12	100	35	21	
	1341-IOF-1	Planks	24 x 60 x 1	0.95	—	31%	12	120	43	14	
	1358-IOF-1	Planks	24 x 72 x 1	0.95	—	31%	12	144	51	20	
	1346-IOF-1	Planks	24 x 96 x 1	0.95	—	31%	12	192	67	10	
13404-48-IOF-1	SmartFit	4 x 48 x 1	0.95	—	31%	72	96	34	14		
13404-60-IOF-1	SmartFit	4 x 60 x 1	0.95	—	32%	72	120	42	14		
13404-72-IOF-1	SmartFit	4 x 72 x 1	0.95	—	31%	72	144	50	14		
13406-48-IOF-1	SmartFit	6 x 48 x 1	0.95	—	31%	48	96	34	14		
13406-60-IOF-1	SmartFit	6 x 60 x 1	0.95	—	31%	48	120	42	14		
13406-72-IOF-1	SmartFit	6 x 72 x 1	0.95	—	31%	48	144	50	14		
13412-48-IOF-1	SmartFit	12 x 48 x 1	0.95	—	31%	24	96	34	14		
13412-60-IOF-1	SmartFit	12 x 60 x 1	0.95	—	31%	24	120	42	14		
13412-72-IOF-1	SmartFit	12 x 72 x 1	0.95	—	31%	24	144	50	14		
NRC 90	1322-IOF-1	Panels	24 x 24 x 3/4	0.90	—	30%	32	128	34	14	
	1320-IOF-1	Panels	24 x 48 x 3/4	0.90	—	30%	16	128	42	14	
REVEAL											
	NRC 100	1362B-IOF-1	Panels	24 x 24 x 1-1/2	1.00	—	33%	16	64	34	14
		1360B-IOF-1	Panels	24 x 48 x 1-1/2	1.00	—	33%	8	64	34	14
NRC 95	1342B-IOF-1	Panels	24 x 24 x 1	0.95	—	30%	24	96	34	14	
	13424-44B-IOF-1	Panels	24 x 44 x 1	0.95	—	30%	12	88	39	14	
	1340B-IOF-1	Panels	24 x 48 x 1	0.95	—	30%	12	96	42	14	
	1343B-IOF-1	Panels	30 x 30 x 1	0.95	—	30%	12	75	26	28	
	1349B-IOF-1	Panels	30 x 60 x 1	0.95	—	30%	12	150	52	14	
	1344B-IOF-1	Panels	48 x 48 x 1	0.95	—	30%	12	192	67	7	
	1342B-IOF-1F	Panels - CAC Foil Backing	24 x 24 x 1	0.95	24	30%	24	96	34	14	
	1340B-IOF-1F	Panels - CAC Foil Backing	24 x 48 x 1	0.95	25	30%	12	96	42	14	
	1347B-IOF-1	Planks	20 x 60 x 1	0.95	—	30%	12	100	35	21	
	1341B-IOF-1	Planks	24 x 60 x 1	0.95	—	30%	12	120	43	14	

CAC range of 24-25 achieved with CAC foil backing.



The CAC foil-backed products explicitly listed on this sheet are available as standard order offerings. CAC Foil Backing is available for the rest of the Symphony f line as a special order.

CAN'T FIND A SIZE? Contact your local Sales Representative or call 800-233-8990

All products in this line feature these attributes:



SYMPHONY f

	Format	Dimensions (in.)	NRC	CAC	Recycled Content	Pieces/carton	Sq. Ft./carton	Lbs./carton	Cartons/pallet		
REVEAL (continued)											
 NRC 95	1358B-IOF-1	Planks	24 x 72 x 1	0.95	—	30%	12	144	51	14	
	1346B-IOF-1	Planks	24 x 96 x 1	0.95	—	30%	12	192	65	14	
	13404-48B-IOF-1	SmartFit	4 x 48 x 1	0.95	—	30%	72	96	34	14	
	13404-60B-IOF-1	SmartFit	4 x 60 x 1	0.95	—	30%	72	120	42	14	
	13404-72B-IOF-1	SmartFit	4 x 72 x 1	0.95	—	30%	72	144	50	14	
	13406-48B-IOF-1	SmartFit	6 x 48 x 1	0.95	—	30%	48	96	34	14	
	13406-60B-IOF-1	SmartFit	6 x 60 x 1	0.95	—	30%	48	120	42	14	
	13406-72B-IOF-1	SmartFit	6 x 72 x 1	0.95	—	30%	48	144	50	14	
	13412-24B-IOF-1	SmartFit	12 x 24 x 1	0.95	—	30%	24	48	17	28	
	13412-48B-IOF-1	SmartFit	12 x 48 x 1	0.95	—	30%	24	96	34	14	
	13412-60B-IOF-1	SmartFit	12 x 60 x 1	0.95	—	30%	24	120	42	14	
	13412-72B-IOF-1	SmartFit	12 x 72 x 1	0.95	—	30%	24	144	50	14	
NARROW REVEAL											
 NRC 100	1362F-IOF-1	Panels	24 x 24 x 1-1/2	1.00	—	33%	16	64	34	14	
	1360F-IOF-1	Panels	24 x 48 x 1-1/2	1.00	—	33%	8	64	34	14	
	NRC 95	1342F-IOF-1	Panels	24 x 24 x 1	0.95	—	29%	24	96	34	14
		1340F-IOF-1	Panels	24 x 48 x 1	0.95	—	29%	12	96	42	14
		1343F-IOF-1	Panels	30 x 30 x 1	0.95	—	29%	12	75	26	28
		13430-54F-IOF-1	Panels	30 x 54 x 1	0.95	—	29%	12	135	49	14
		1349F-IOF-1	Panels	30 x 60 x 1	0.95	—	29%	12	150	52	14
		13442-48F-IOF-1	Panels	42 x 48 x 1	0.95	—	29%	12	168	60	7
		1344F-IOF-1	Panels	48 x 48 x 1	0.95	—	29%	12	192	67	7
		1342F-IOF-1F	Panels - CAC Foil Backing	24 x 24 x 1	0.95	24	29%	24	96	34	14
1347F-IOF-1		Planks	20 x 60 x 1	0.95	—	29%	12	100	35	21	
1341F-IOF-1		Planks	24 x 60 x 1	0.95	—	29%	12	120	43	14	
1358F-IOF-1	Planks	24 x 72 x 1	0.95	—	29%	12	144	51	14		
1346F-IOF-1	Planks	24 x 96 x 1	0.95	—	29%	12	192	65	10		
13404-48F-IOF-1	SmartFit	4 x 48 x 1	0.95	—	29%	72	96	34	14		
13404-60F-IOF-1	SmartFit	4 x 60 x 1	0.95	—	29%	72	120	42	14		
13404-72F-IOF-1	SmartFit	4 x 72 x 1	0.95	—	29%	72	144	50	14		
13406-48F-IOF-1	SmartFit	6 x 48 x 1	0.95	—	29%	48	96	34	14		
13406-60F-IOF-1	SmartFit	6 x 60 x 1	0.95	—	29%	48	120	42	14		
13406-72F-IOF-1	SmartFit	6 x 72 x 1	0.95	—	29%	48	144	50	14		
13406-96F-IOF-1	SmartFit	6 x 96 x 1	0.95	—	29%	48	192	67	14		
13412-24F-IOF-1	SmartFit	12 x 24 x 1	0.95	—	29%	24	48	17	28		
13412-48F-IOF-1	SmartFit	12 x 48 x 1	0.95	—	29%	24	96	34	14		
13412-60F-IOF-1	SmartFit	12 x 60 x 1	0.95	—	29%	24	120	42	14		
13412-72F-IOF-1	SmartFit	12 x 72 x 1	0.95	—	29%	24	144	50	14		

CAC range of 24-25 achieved with CAC foil backing.
 The CAC foil-backed products explicitly listed on this sheet are available as standard order offerings. CAC Foil Backing is available for the rest of the Symphony f line as a special order.
CAN'T FIND A SIZE? Contact your local Sales Representative or call 800-233-8990

All products in this line feature these attributes:



SYMPHONY f




		Format	Dimensions (mm)	NRC	CAC	Recycled Content	Pieces/carton	Sq. m/carton	Lbs./carton	Cartons/pallet	
METRIC TRIM											
	NRC 100	1362M-IOF-1	Panels	600 x 600 x 38	1.00	—	35%	16	5.8	34	14
		1360M-IOF-1	Panels	600 x 1200 x 38	1.00	—	35%	8	5.8	34	14
		1360M-IOF-1F	Panels - CAC Foil Backing	600 x 1200 x 38	1.00	25	37%	8	5.8	34	14
	NRC 95	1340M-IOF-1F	Panels - CAC Foil Backing	600 x 1200 x 25	0.95	25	31%	12	8.6	34	14
		1347M-IOF-1	Panels	500 x 1500 x 25	0.95	—	30%	12	9	35	21
		1342M-IOF-1	Panels	600 x 600 x 25	0.95	—	30%	24	8.6	33	14
		1343M-IOF-1	Panels	750 x 750 x 25	0.95	—	31%	12	6.8	26	28
		1344M-IOF-1	Panels	1200 x 1200 x 25	0.95	—	31%	12	17.3	67	7
		1340M-IOF-1	Panels	600 x 1200 x 25	0.95	—	31%	12	8.6	34	14
	NRC 90	1322M-IOF-1	Panels	600 x 600 x 19	0.90	—	30%	16	11.5	34	14
1320M-IOF-1		Panels	600 x 1200 x 19	0.90	—	30%	16	11.5	34	14	
METRIC REVEAL											
	NRC 100	1362MB-IOF-1F	Panels - CAC Foil Backing	600 x 600 x 38	1.00	25	33%	16	5.8	34	14
		1347MB-IOF-1	Panels	500 x 1500 x 25	0.95	—	30%	12	9	35	21
	NRC 95	1342MB-IOF-1	Panels	600 x 600 x 25	0.95	—	30%	24	8.6	40	14
		1340MB-IOF-1	Panels	600 x 1200 x 25	0.95	—	30%	12	8.6	42	14
		1343MB-IOF-1	Panels	750 x 750 x 25	0.95	—	30%	12	6.8	26	28
		1344MB-IOF-1	Panels	1200 x 1200 x 25	0.95	—	30%	12	17.3	67	7
		1342MB-IOF-1F	Panels - CAC Foil Backing	600 x 600 x 25	0.95	24	30%	24	8.6	40	14
		METRIC NARROW REVEAL									
	NRC 100	1362MF-IOF-1	Panels	600 x 600 x 38	1.00	—	33%	16	5.8	34	14
		1347MF-IOF-1	Panels	500 x 1500 x 25	0.95	—	29%	12	9	35	21
	NRC 95	1342MF-IOF-1	Panels	600 x 600 x 25	0.95	—	29%	24	8.6	40	14
		1340MF-IOF-1	Panels	600 x 1200 x 25	0.95	—	29%	12	8.6	34	14
		1343MF-IOF-1	Panels	750 x 750 x 25	0.95	—	29%	12	6.8	26	28
		1344MF-IOF-1	Panels	1200 x 1200 x 25	0.95	—	29%	12	17.3	67	7
		1342MF-IOF-1F	Panels - CAC Foil Backing	600 x 600 x 25	0.95	24	29%	24	8.6	40	14

CAC range of 24-25 achieved with CAC foil backing.

The CAC foil-backed products explicitly listed on this sheet are available as standard order offerings. CAC Foil Backing is available for the rest of the Symphony f line as a special order.

CAN'T FIND A SIZE? Contact your local Sales Representative or call 800-233-8990

ACCESSORIES

SYMPHONY® f ACCESSORIES	Product Name	Pieces/carton	Use
	1400-SEL-1 Fiberglass Edge Sealant	1	For re-sealing cut edges; 1 quart container
	STBAR-2 2' Stabilizer Bar	40	Recommended for all 2x5, 2x6 and 2x8 narrow reveal installations; typically 1 pc./panel for 2x5, 2x6, 2 pc./panel for 2x8
	STBAR-4 4' Stabilizer Bar	40	Recommended for all 2x6 and 2x8 narrow reveal installations; typically 1 pc./panel for 2x6, 2 pc./panel for 2x8

PHYSICAL DATA

MATERIAL
Fiberglass

ASTM E1264 CLASSIFICATION
Type XII, Form 2, Pattern E

FIRE CLASS (ASTM E1264)
All are Class A per ASTM E84 & CAN S102
Flame Spread: 25 or less
Smoke Developed: 50 or less

MOLD/MILDEW RESISTANCE
Fiberglass substrate is inherently resistant to the growth of mold and mildew.

VOC EMISSIONS
Independently certified compliant with California Department of Public Health CDPH/EHLB/Standard Method Version 1.2, 2017.

MAINTENANCE
Clean panel using a sponge/cloth dampened with water and mild liquid detergent solution. Do not soak panel. Cleanable with sanitizing chemicals.

WARRANTY
10-year 104/95 Limited Warranty increases to 15 years when installed with CertainTeed suspension systems. Full warranty information can be found at certainteed.com/ceilings.



CertainTeed

CEILINGS • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM
20 Moores Road Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 certainteed.com

SYMPHONY® f

Smooth
Fiberglass



Photo: ©Chad Baumer