



The Symphony line provides a full range of ultra-durable acoustic solutions with a consistent, smooth visual. Combine Symphony and Adagio<sup>®</sup> products for targeted acoustics and coordinated visuals across the project.

**FEATURES AND BENEFITS**

- Excellent sound absorption (NRC 0.70-0.80) and sound blocking (CAC 33-42)
- Certified clean room component to ISO Class 4 (highest among comparable products)
- Tested to 1,000 wash cycles and compatible with many sanitizing solutions
- High light reflectance enhances conventional lighting, which can reduce fatigue and eye strain
- Exceeds FGI guidelines for cleanability and acoustic performance
- Meets or exceeds LEED for Schools classroom acoustic prerequisite
- SmartFit panels available as a factory-fabricated off-the-shelf solution to accommodate linear lighting, HVAC and utility areas with standard components
- CertaSize<sup>®</sup> program - non-standard sizes made to order on select products. One carton minimum. Lead time varies. Contact your local sales rep or Customer Support
- USDA Certified Biobased content at 98%
- Declare Label / LBC Red List Free

**ATTRIBUTES**



**SAG  
 RESISTANT**



**MOLD/MILDEW  
 RESISTANT  
 INHERENT**



**LR 0.90**



**WASHABLE  
 W/SANITIZING  
 CHEMICALS**



**EMISSION  
 COMPLIANT  
 CERTIFIED**



**RECYCLED  
 CONTENT  
 62%**

**LEED<sup>®</sup> v4**

RECYCLED CONTENT	62%	
	Pre: 60%	Post: 2%
✓ EA: Optimize Energy Performance		
✓ EA: Prereq. Min. Energy Performance		
✓ EQ: Interior Lighting		
✓ MR: PBT Source Reduction (Healthcare)		
✓ EQ: Acoustic Performance		
✓ EQ: Prereq. Min. Acoustic Performance (Schools)		
✓ EQ: Low-Emitting Materials		
✓ EQ: Daylight		
✓ MR: Material Ingredients (HPDs)		
✓ MR: Sourcing Raw Materials		
✓ MR: Environmental Product Declarations (EPDs)		
✓ MR: Construction and Demolition Waste Management Planning		

LEED<sup>®</sup> is a registered trademark of the U.S. Green Building Council.

**CERTIFICATIONS**



**EPD AVAILABLE**




**HPD AVAILABLE**




**Declare<sup>SM</sup>**  
 Living Building Challenge Red List Free<sup>®</sup>  
 Declare<sup>SM</sup> is a service mark of The International Living Future Institute.


**SUSPENSION SYSTEM OPTIONS**




Trim  
15/16 Grid




Reveal  
Corner Bevel  
15/16 Grid



Narrow Reveal  
Corner Bevel  
9/16 Grid






Narrow Reveal  
Corner Bevel  
9/16 Grid Bolt Slot




Narrow Reveal  
9/16 Grid Tear Drop

**SYMPHONY m High NRC**

	Format	Dimensions (in.)	NRC	CAC	Recycled Content	Pieces/carton	Sq. Ft./carton	Lbs./carton	Cartons/pallet		
<b>TRIM</b>											
	NRC .80	1222-80-1	Panels	24 x 24 x 7/8	0.80	40	62%	14	56	64	16
		1220-80-1	Panels	24 x 48 x 7/8	0.80	42	62%	8	64	74	14
		1221-80-1	Panels	24 x 60 x 7/8	0.80	42	62%	8	80	92	14
		1228-80-1	Panels	24 x 72 x 7/8	0.80	42	62%	8	96	110	14
		1223-80-1	Panels	30 x 30 x 7x8	0.80	40	62%	8	50	58	28
<b>REVEAL</b>											
	NRC .80	1222BB-80-1	Panels	24 x 24 x 7/8	0.80	40	62%	14	56	64	16
		1220BB-80-1	Panels	24 x 48 x 7/8	0.80	42	62%	8	64	74	14
		1221BB-80-1	Planks	24 x 60 x 7/8	0.80	42	62%	8	80	92	14
		1228BB-80-1	Planks	24 x 72 x 7/8	0.80	42	62%	8	96	110	14
<b>NARROW REVEAL</b>											
	NRC .80	1222BF-80-1	Panels	24 x 24 x 7/8	0.80	40	62%	14	56	64	16
		1220BF-80-1	Panels	24 x 48 x 7/8	0.80	42	62%	8	64	74	14
		1221BF-80-1	Planks	24 x 60 x 7/8	0.80	42	62%	8	80	92	14
		1228BF-80-1	Planks	24 x 72 x 7/8	0.80	42	62%	8	96	110	14


**SYMPHONY m**

	Format	Dimensions (in.)	NRC	CAC	Recycled Content	Pieces/carton	Sq. Ft./carton	Lbs./carton	Cartons/pallet			
<b>TRIM</b>												
	NRC .75	1222-75-1	Panels	24 x 24 x 3/4	0.75	36	62%	14	56	56	16	
		1220-75-1	Panels	24 x 48 x 3/4	0.75	36	62%	8	64	64	16	
		1223-75-1	Panels	30 x 30 x 3/4	0.75	36	62%	8	50	50	28	
		1229-75-1	Panels	30 x 60 x 3/4	0.75	36	62%	8	100	100	16	
		12220-60-75-1	Planks	20 x 60 x 3/4	0.75	36	62%	8	66	66	24	
		1221-75-1	Planks	24 x 60 x 3/4	0.75	36	62%	8	80	80	16	
		1228-75-1	Planks	24 x 72 x 3/4	0.75	36	62%	8	96	96	16	
		12204-48-75-1	SmartFit	4 x 48 x 3/4	0.75	—	62%	48	64	64	16	
		12206-48-75-1	SmartFit	6 x 48 x 3/4	0.75	—	62%	32	64	64	16	
		12212-48-75-1	SmartFit	12 x 48 x 3/4	0.75	—	62%	16	64	64	16	
		12212-60-75-1	SmartFit	12 x 60 x 3/4	0.75	—	62%	16	80	80	16	
		12212-24-75-1	SmartFit	12 x 24 x 3/4	0.75	—	62%	28	56	56	16	
		NRC .70	1222-IOF-1	Panels	24 x 24 x 3/4	0.70	33	62%	14	56	56	16
			1220-IOF-1	Panels	24 x 48 x 3/4	0.70	35	62%	8	64	64	16
1223-IOF-1	Panels		30 x 30 x 3/4	0.70	39	62%	8	50	50	28		
1229-IOF-1	Panels		30 x 60 x 3/4	0.70	41	62%	8	100	100	16		
12220-60-IOF-1	Planks		20 x 60 x 3/4	0.70	39	62%	8	66	66	24		
1221-IOF-1	Planks		24 x 60 x 3/4	0.70	36	62%	8	80	80	16		
1228-IOF-1	Planks		24 x 72 x 3/4	0.70	37	62%	8	96	96	16		
12204-48-IOF-1	SmartFit		4 x 48 x 3/4	0.70	—	62%	48	64	64	16		
12206-48-IOF-1	SmartFit		6 x 48 x 3/4	0.70	—	62%	32	64	64	16		
12212-24-IOF-1	SmartFit		12 x 24 x 3/4	0.70	—	62%	28	56	56	16		
12212-48-IOF-1	SmartFit	12 x 48 x 3/4	0.70	—	62%	16	64	64	16			
12212-60-IOF-1	SmartFit	12 x 60 x 3/4	0.70	—	62%	16	80	80	16			

CAN'T FIND A SIZE? Contact your local Sales Representative or call 800-233-8990


**SYMPHONY m**

**REVEAL**





	Format	Dimensions (in.)	NRC	CAC	Recycled Content	Pieces/carton	Sq. Ft./carton	Lbs./carton	Cartons/pallet	
NRC .75	1222BB-75-1	Panels	24 x 24 x 3/4	0.75	36	62%	14	56	56	16
	1220BB-75-1	Panels	24 x 48 x 3/4	0.75	36	62%	8	64	64	16
	12220-60BB-75-1	Planks	20 x 60 x 3/4	0.75	36	62%	8	66	66	24
	1221BB-75-1	Planks	24 x 60 x 3/4	0.75	36	62%	8	80	80	16
	1228BB-75-1	Planks	24 x 72 x 3/4	0.75	36	62%	8	96	96	16
	12204-48BB-75-1	SmartFit	4 x 48 x 3/4	0.75	—	62%	48	64	64	16
	12206-48BB-75-1	SmartFit	6 x 48 x 3/4	0.75	—	62%	32	64	64	16
	12212-60BB-75-1	SmartFit	12 x 60 x 3/4	0.75	—	62%	16	80	80	16
	12212-48BB-75-1	SmartFit	12 x 48 x 3/4	0.75	—	62%	16	64	64	16
	12212-24BB-75-1	SmartFit	12 X 24 X 3/4	0.75	—	62%	28	56	56	16
NRC .70	1222BB-IOF-1	Panels	24 x 24 x 3/4	0.70	33	62%	14	56	56	16
	1220BB-IOF-1	Panels	24 x 48 x 3/4	0.70	35	62%	8	64	64	16
	12220-60BB-IOF-1	Planks	20 x 60 x 3/4	0.70	39	62%	8	66	66	24
	1221BB-IOF-1	Planks	24 x 60 x 3/4	0.70	36	62%	8	80	80	16
	1228BB-IOF-1	Planks	24 x 72 x 3/4	0.70	37	62%	8	96	96	16
	12204-48BB-IOF-1	SmartFit	4 x 48 x 3/4	0.70	—	62%	48	64	64	16
	12206-48BB-IOF-1	SmartFit	6 x 48 x 3/4	0.70	—	62%	32	64	64	16
	12212-24BB-IOF-1	SmartFit	12 X 24 X 3/4	0.70	—	62%	28	56	56	16
	12212-48BB-IOF-1	SmartFit	12 x 48 x 3/4	0.70	—	62%	16	64	64	16
	12212-60BB-IOF-1	SmartFit	12 x 60 x 3/4	0.70	—	62%	16	80	80	16

**NARROW REVEAL**






NRC .75	1222BF-75-1	Panels	24 x 24 x 3/4	0.75	36	62%	14	56	56	16
	1220BF-75-1	Panels	24 x 48 x 3/4	0.75	36	62%	8	64	64	16
	12220-60BF-75-1	Planks	20 x 60 x 3/4	0.75	36	62%	8	66	66	24
	1221BF-75-1	Planks	24 x 60 x 3/4	0.75	36	62%	8	80	80	16
	1228BF-75-1	Planks	24 x 72 x 3/4	0.75	36	62%	8	96	96	16
	12204-48BF-75-1	SmartFit	4 x 48 x 3/4	0.75	—	62%	48	64	64	16
	12206-48BF-75-1	SmartFit	6 x 48 x 3/4	0.75	—	62%	32	64	64	16
	12212-60BF-75-1	SmartFit	12 x 60 x 3/4	0.75	—	62%	16	80	80	16
	12212-48BF-75-1	SmartFit	12 x 48 x 3/4	0.75	—	62%	16	64	64	16
	12212-24BF-75-1	SmartFit	12 x 24 x 3/4	0.75	—	62%	28	56	56	16
NRC .70	1222BF-IOF-1	Panels	24 x 24 x 3/4	0.70	33	62%	14	56	56	16
	1220BF-IOF-1	Panels	24 x 48 x 3/4	0.70	35	62%	8	64	64	16
	12220-60BF-IOF-1	Planks	20 x 60 x 3/4	0.70	39	62%	8	66	66	24
	1221BF-IOF-1	Planks	24 x 60 x 3/4	0.70	36	62%	8	80	80	16
	1228BF-IOF-1	Planks	24 x 72 x 3/4	0.70	37	62%	8	96	96	16
	12204-48BF-IOF-1	SmartFit	4 x 48 x 3/4	0.70	—	62%	48	64	64	16
	12206-48BF-IOF-1	SmartFit	6 x 48 x 3/4	0.70	—	62%	32	64	64	16
	12212-24BF-IOF-1	SmartFit	12 x 24 x 3/4	0.70	—	62%	28	56	56	16
	12212-48BF-IOF-1	SmartFit	12 x 48 x 3/4	0.70	—	62%	16	64	64	16
	12212-60BF-IOF-1	SmartFit	12 x 60 x 3/4	0.70	—	62%	16	80	80	16

**SYMPHONY m**

	Format	Dimensions (mm)	NRC	CAC	Recycled Content	Pieces/carton	Sq. m/carton	Lbs./carton	Cartons/pallet		
<b>METRIC TRIM</b>											
	NRC .75	12220-60-75-1M	Panels	500 x 1500 x 19	0.75	36	62%	8	6	96	16
		1220-75-1M	Panels	600 x 1200 x 19	0.75	36	62%	8	5.8	49	32
		1222-75-1M	Panels	600 x 600 x 19	0.75	36	62%	14	5	55	16
		1229-75-1M	Panels	750 x 1500 x 19	0.75	36	62%	8	9	64	24
		1223-75-1M	Panels	750 x 750 x 19	0.75	36	62%	8	4.5	62	16
	NRC .70	12220-60-10F-1M	Panels	500 x 1500 x 19	0.70	38	62%	8	6	96	16
		1220-10F-1M	Panels	600 x 1200 x 19	0.70	35	62%	8	5.8	49	32
		1222-10F-1M	Panels	600 x 600 x 19	0.70	33	62%	14	5	55	16
		1229-10F-1M	Panels	750 x 1500 x 19	0.70	40	62%	8	9	64	24
		1223-10F-1M	Panels	750 x 750 x 19	0.70	38	62%	8	4.5	62	16

**CAN'T FIND A SIZE?** Contact your local Sales Representative or call 800-233-8990

**ACCESSORIES**

SYMPHONY® f ACCESSORIES	Product Name	Pieces/carton	Use
	<b>1170-SEL-1</b> Mineral Fiber Edge Sealant	1	For re-sealing cut edges; 1 quart container
	<b>STBAR-2</b> 2' Stabilizer Bar	40	Recommended for all 2x5, 2x6 and 2x8 narrow reveal installations; typically 1 pc./panel for 2x5, 2x6, 2 pc./panel for 2x8
	<b>STBAR-4</b> 4' Stabilizer Bar	40	Recommended for all 2x6 and 2x8 narrow reveal installations; typically 1 pc./panel for 2x6, 2 pc./panel for 2x8

**PHYSICAL DATA**

**MATERIAL**

Mineral Fiber

**ASTM E1264 CLASSIFICATION**

Type IV, Form 2, Pattern E

**FIRE CLASS (ASTM E1264)**

All are Class A per ASTM E84 & CAN S102

Flame Spread: 25 or less

Smoke Developed: 50 or less

**MOLD/MILDEW RESISTANCE**

BioShield® treatment included for added mold and mildew resistance.

**VOC EMISSIONS**

Independently certified compliant with California Department of Public Health CDPH/EHLB/Standard Method Version 1.2, 2017.

**MAINTENANCE**

Clean panel using a sponge/cloth dampened with water and mild liquid detergent solution. Do not soak panel. Cleanable with sanitizing chemicals.

**WARRANTY**

10-year 104/90 Limited Warranty increases to 15 years when installed with CertainTeed suspension systems. Full warranty information can be found at [certainteed.com/architectural](http://certainteed.com/architectural).



**CertainTeed ARCHITECTURAL**

METAL • WOOD • FELT • FIBERGLASS & MINERAL FIBER • GYPSUM • SUSPENSION & INTEGRATED SYSTEMS  
 20 Moores Road, Malvern, PA 19355 800-366-4327 [certainteed.com/architectural](http://certainteed.com/architectural)