

# CertaTrim<sup>®</sup>

Exterior Trim



**CertainTeed**  
SAINT-GOBAIN

## Trimboards

Trim is a subtle finishing touch that brings exterior components beautifully together, creating definition and symmetry, while allowing exterior colors, profiles and design elements to take center stage.



Trimboards–Smooth/Smooth, White			FULL UNIT			HALF UNIT		
Nominal	Actual	Order Number*	PCS	LF	Weight lbs	PCS	LF	Weight lbs
5/8 in. x 4 in. x 18 ft.	5/8 in. x 3-1/2 in. x 18 ft.	8100005T	260	4680	2912	130	2340	1561
5/8 in. x 6 in. x 18 ft.	5/8 in. x 5-1/2 in. x 18 ft.	8100205T	160	2880	2827	80	1440	1518
5/8 in. x 8 in. x 18 ft.	5/8 in. x 7-1/4 in. x 18 ft.	8100305T	120	2160	2801	60	1080	1505
5/8 in. x 10 in. x 18 ft.	5/8 in. x 9-1/4 in. x 18 ft.	8100405T	100	1800	2966	50	900	1588
5/8 in. x 12 in. x 18 ft.	5/8 in. x 11-1/4 in. x 18 ft.	8100505T	80	1440	2891	40	720	1550
1 in. x 4 in. x 18 ft.	3/4 in. x 3-1/2 in. x 18 ft.	8101005T	260	4680	3312	117	2106	1492
1 in. x 6 in. x 18 ft.	3/4 in. x 5-1/2 in. x 18 ft.	8101205T	160	2880	3059	72	1296	1606
1 in. x 8 in. x 18 ft.	3/4 in. x 7-1/4 in. x 18 ft.	8101305T	108	1944	2999	54	972	1604
1 in. x 10 in. x 18 ft.	3/4 in. x 9-1/4 in. x 18 ft.	8101405T	90	1620	3158	45	810	1684
1 in. x 12 in. x 18 ft.	3/4 in. x 11-1/4 in. x 18 ft.	8101505T	72	1296	3086	36	648	1648
1 in. x 16 in. x 18 ft.	3/4 in. x 15-1/4 in. x 18 ft.	8114105T	–	–	–	24	432	1668
5/4 in. x 4 in. x 18 ft.	1 in. x 3-1/2 in. x 18 ft.	8102005T	208	3744	3735	91	1638	1752
5/4 in. x 5 in. x 18 ft.	1 in. x 4-1/2 in. x 18 ft.	8102605T	160	2880	2884	70	1260	1379
5/4 in. x 6 in. x 18 ft.	1 in. x 5-1/2 in. x 18 ft.	8102205T	128	2304	3766	56	1008	1766
5/4 in. x 8 in. x 18 ft.	1 in. x 7-1/4 in. x 18 ft.	8102305T	96	1728	3659	42	756	1703
5/4 in. x 10 in. x 18 ft.	1 in. x 9-1/4 in. x 18 ft.	8102405T	80	1440	3829	35	630	1793
5/4 in. x 12 in. x 18 ft.	1 in. x 11-1/4 in. x 18 ft.	8102505T	64	1152	3734	28	504	1751
5/4 in. x 16 in. x 18 ft.	1 in. x 15-1/4 in. x 18 ft.	8114805T	–	–	–	24	432	2021



Trimboards–Select Cedar Woodgrain/Smooth, White			FULL UNIT			HALF UNIT		
Nominal	Actual	Order Number*	PCS	LF	Weight lbs	PCS	LF	Weight lbs
5/8 in. x 4 in. x 18 ft.	5/8 in. x 3-1/2 in. x 18 ft.	8105005T	260	4680	2789	130	2340	1499
5/8 in. x 6 in. x 18 ft.	5/8 in. x 5-1/2 in. x 18 ft.	8105205T	160	2880	2701	80	1440	1455
5/8 in. x 8 in. x 18 ft.	5/8 in. x 7-1/4 in. x 18 ft.	8105305T	120	2160	2675	60	1080	1442
5/8 in. x 10 in. x 18 ft.	5/8 in. x 9-1/4 in. x 18 ft.	8105405T	100	1800	2830	50	900	1520
5/8 in. x 12 in. x 18 ft.	5/8 in. x 11-1/4 in. x 18 ft.	8105505T	80	1440	2758	40	720	1484
1 in. x 4 in. x 12 ft.	3/4 in. x 3-1/2 in. x 12 ft.	8115305T	260	3120	2263	117	1404	1234
1 in. x 6 in. x 12 ft.	3/4 in. x 5-1/2 in. x 12 ft.	8115405T	160	1920	2193	72	864	1050
1 in. x 8 in. x 12 ft.	3/4 in. x 7-1/4 in. x 12 ft.	8115505T	108	1296	2061	54	648	1088
1 in. x 10 in. x 12 ft.	3/4 in. x 9-1/4 in. x 12 ft.	8115605T	90	1080	2168	45	540	1141
1 in. x 12 in. x 12 ft.	3/4 in. x 11-1/4 in. x 12 ft.	8115705T	72	864	2117	36	432	1116
1 in. x 4 in. x 18 ft.	3/4 in. x 3-1/2 in. x 18 ft.	8106005T	260	4680	3415	117	2106	1492
1 in. x 5 in. x 18 ft.	3/4 in. x 4-1/2 in. x 18 ft.	8106605T	200	3600	3379	100	1800	1794
1 in. x 6 in. x 18 ft.	3/4 in. x 5-1/2 in. x 18 ft.	8106205T	160	2880	3312	72	1296	1606
1 in. x 8 in. x 18 ft.	3/4 in. x 7-1/4 in. x 18 ft.	8106305T	108	1944	2999	54	972	1604
1 in. x 10 in. x 18 ft.	3/4 in. x 9-1/4 in. x 18 ft.	8106405T	90	1620	3158	45	810	1684
1 in. x 12 in. x 18 ft.	3/4 in. x 11-1/4 in. x 18 ft.	8106505T	72	1296	3086	36	648	1648
1 in. x 16 in. x 18 ft.	3/4 in. x 15-1/4 in. x 18 ft.	8114005T	–	–	–	24	432	1668
5/4 in. x 4 in. x 12 ft.	1 in. x 3-1/2 in. x 12 ft.	8118005T	208	2496	2807	91	1092	1359
5/4 in. x 5 in. x 12 ft.	1 in. x 4-1/2 in. x 12 ft.	8118105T	160	1920	2704	70	840	1314
5/4 in. x 6 in. x 12 ft.	1 in. x 5-1/2 in. x 12 ft.	8118205T	128	1536	2742	56	672	1330
5/4 in. x 8 in. x 12 ft.	1 in. x 7-1/4 in. x 12 ft.	8118305T	96	1152	2719	42	504	1319
5/4 in. x 10 in. x 12 ft.	1 in. x 9-1/4 in. x 12 ft.	8118405T	80	960	2845	35	420	1375
5/4 in. x 12 in. x 12 ft.	1 in. x 11-1/4 in. x 12 ft.	8112305T	64	768	2788	28	336	1350
5/4 in. x 16 in. x 12 ft.	1 in. x 15-1/4 in. x 12 ft.	8118505T	–	–	–	24	288	3239
5/4 in. x 4 in. x 18 ft.	1 in. x 3-1/2 in. x 18 ft.	8107005T	208	3744	3735	91	1638	1752
5/4 in. x 5 in. x 18 ft.	1 in. x 4-1/2 in. x 18 ft.	8107605T	160	2880	2884	70	1260	1379
5/4 in. x 6 in. x 18 ft.	1 in. x 5-1/2 in. x 18 ft.	8107205T	128	2304	3540	56	1008	1667
5/4 in. x 8 in. x 18 ft.	1 in. x 7-1/4 in. x 18 ft.	8107305T	96	1728	3505	42	756	1651
5/4 in. x 10 in. x 18 ft.	1 in. x 9-1/4 in. x 18 ft.	8107405T	80	1440	3704	35	630	1737
5/4 in. x 12 in. x 18 ft.	1 in. x 11-1/4 in. x 18 ft.	8107505T	64	1152	3611	28	504	1735
5/4 in. x 16 in. x 18 ft.	1 in. x 15-1/4 in. x 18 ft.	8114305T	–	–	–	24	432	1958

Select Cedar woodgrain on reverse side



J-Pocket Trimboards–Smooth, White			FULL UNIT			HALF UNIT		
Nominal	Actual	Order Number	PCS	LF	Weight lbs	PCS	LF	Weight lbs
5/4 in. x 4 in. x 18 ft.	1 in. x 3-1/2 in. x 18 ft.	8315405TF	156	2808	2400	–	–	–
5/4 in. x 6 in. x 18 ft.	1 in. x 5-1/2 in. x 18 ft.	8315505TF	96	1728	2028	–	–	–

J-Pocket Trimboards–Select Cedar Woodgrain, White			FULL UNIT			HALF UNIT		
Nominal	Actual	Order Number	PCS	LF	Weight lbs	PCS	LF	Weight lbs
5/4 in. x 4 in. x 18 ft.	1 in. x 3-1/2 in. x 18 ft.	8315205TF	156	2808	2400	–	–	–
5/4 in. x 6 in. x 18 ft.	1 in. x 5-1/2 in. x 18 ft.	8315305TF	96	1728	2028	–	–	–

\* To order full unit, add F to the end of the order number. To order half unit, add H to the end of the order number.

## Beadboard

Beadboard is used when the job calls for traditional beadboard or larger panels, and offers the right solution to make an authentic statement.



Nominal	Actual	Order Number*	FULL UNIT			HALF UNIT		
			PCS	LF	Weight lbs	PCS	LF	Weight lbs
1/2 in. x 4 ft. x 8 ft. Beadboard Panel	1/2 in. x 4 ft. x 8 ft.	8115005T	25	200	1222	–	–	–
1/2 in. x 5-1/2 in. x 18 ft. Beadboard	1/2 in. x 5-1/8 in. x 18 ft.	8300005T	200	3600	2609	100	1800	1409

## Sheets

Available in a full selection of custom and standard sizes and shapes, sheets can be used to create distinctive, one-of-a-kind exterior elements that are as beautiful as they are durable.



Sheets–Smooth/Smooth, White			FULL UNIT			HALF UNIT		
Nominal	Actual	Order Number*	PCS	LF	Weight lbs	PCS	LF	Weight lbs
3/8 in. x 4 ft. x 8 ft.	3/8 in. x 4 ft. x 8 ft.	8113205T	25	200	1042	18	144	770
3/8 in. x 4 ft. x 10 ft.	3/8 in. x 4 ft. x 10 ft.	8200405T	25	250	1229	18	180	913
3/8 in. x 4 ft. x 12 ft.	3/8 in. x 4 ft. x 12 ft.	8116605T	25	300	1580	18	216	1411
1/2 in. x 4 ft. x 8 ft.	1/2 in. x 4 ft. x 8 ft.	8113305T	25	200	1308	18	144	887
1/2 in. x 4 ft. x 10 ft.	1/2 in. x 4 ft. x 10 ft.	8200605T	25	250	1550	18	180	1143
1/2 in. x 4 ft. x 12 ft.	1/2 in. x 4 ft. x 12 ft.	8116505T	25	300	2121	18	216	1559
5/8 in. x 4 ft. x 8 ft.	5/8 in. x 4 ft. x 8 ft.	8200505T	25	200	1629	18	144	1192
5/8 in. x 4 ft. x 10 ft.	5/8 in. x 4 ft. x 10 ft.	8200905T	25	250	1997	18	180	1465
5/8 in. x 4 ft. x 12 ft.	5/8 in. x 4 ft. x 12 ft.	8116705T	25	300	2544	18	216	1916
3/4 in. x 4 ft. x 8 ft.	3/4 in. x 4 ft. x 8 ft.	8113405T	20	160	1583	15	120	1205
3/4 in. x 4 ft. x 10 ft.	3/4 in. x 4 ft. x 10 ft.	8113505T	20	200	1989	15	150	1517
3/4 in. x 4 ft. x 12 ft.	3/4 in. x 4 ft. x 12 ft.	8201405T	20	240	2382	15	180	1815
3/4 in. x 4 ft. x 18 ft.	3/4 in. x 4 ft. x 18 ft.	8201505T	21	378	3778	15	270	2758
1 in. x 4 ft. x 8 ft.	1 in. x 4 ft. x 8 ft.	8201305T	20	160	2140	12	96	1312
1 in. x 4 ft. x 10 ft.	1 in. x 4 ft. x 10 ft.	8200805T	20	200	2652	12	120	1631
1 in. x 4 ft. x 12 ft.	1 in. x 4 ft. x 12 ft.	8201605T	20	240	3161	12	144	1942



Sheets–Woodgrain/Smooth, White			FULL UNIT			HALF UNIT		
Nominal	Actual	Order Number*	PCS	LF	Weight lbs	PCS	LF	Weight lbs
3/8 in. x 4 ft. x 8 ft.	3/8 in. x 4 ft. x 8 ft.	8213205T	25	200	1042	18	144	770
5/8 in. x 4 ft. x 8 ft.	5/8 in. x 4 ft. x 8 ft.	8202505T	25	200	1629	18	144	1192
3/4 in. x 4 ft. x 8 ft.	3/4 in. x 4 ft. x 8 ft.	8213405T	20	160	1583	15	120	1205
1 in. x 4 ft. x 10 ft.	1 in. x 4 ft. x 10 ft.	8220805T	20	200	2652	12	120	1631

## One-Piece Corner

One-piece corners add style and beauty around every corner.



One-Piece Corner–Smooth, White			FULL UNIT			HALF UNIT		
Nominal	Actual	Order Number*	PCS	LF	Weight lbs	PCS	LF	Weight lbs
5/4 in. x 4 in. x 4 in. x 10 ft.	1 in. x 3-1/2 in. x 3-1/2 in. x 10 ft.	8314205T	72	720	1246	36	360	712
5/4 in. x 6 in. x 6 in. x 10 ft.	1 in. x 5-1/2 in. x 5-1/2 in. x 10 ft.	8314705T	48	480	1326	24	240	799
5/4 in. x 4 in. x 4 in. x 20 ft.	1 in. x 3-1/2 in. x 3-1/2 in. x 20 ft.	8314105T	72	1440	2419	36	720	1325
5/4 in. x 6 in. x 6 in. x 20 ft.	1 in. x 5-1/2 in. x 5-1/2 in. x 20 ft.	8314005T	48	960	2683	24	480	1457

One-Piece Corner–Select Cedar Woodgrain, White			FULL UNIT			HALF UNIT		
Nominal	Actual	Order Number*	PCS	LF	Weight lbs	PCS	LF	Weight lbs
5/4 in. x 4 in. x 4 in. x 10 ft.	1 in. x 3-1/2 in. x 3-1/2 in. x 10 ft.	8314605T	72	720	1246	36	360	672
5/4 in. x 6 in. x 6 in. x 10 ft.	1 in. x 5-1/2 in. x 5-1/2 in. x 10 ft.	8314505T	48	480	1326	24	240	712
5/4 in. x 4 in. x 4 in. x 20 ft.	1 in. x 3-1/2 in. x 3-1/2 in. x 20 ft.	8314405T	72	1440	2419	36	720	1325
5/4 in. x 6 in. x 6 in. x 20 ft.	1 in. x 5-1/2 in. x 5-1/2 in. x 20 ft.	8314305T	48	960	2683	24	480	1457




One-Piece Corner with J-Pocket–Smooth, White			FULL UNIT			HALF UNIT		
Nominal	Actual	Order Number	PCS	LF	Weight lbs	PCS	LF	Weight lbs
5/4 in. x 4 in. x 4 in. x 20 ft.	1 in. x 3-1/2 in. x 3-1/2 in. x 20 ft.	8314805TF	72	1440	2095	–	–	–
5/4 in. x 6 in. x 6 in. x 20 ft.	1 in. x 5-1/2 in. x 5-1/2 in. x 20 ft.	8314905TF	48	960	2290	–	–	–

One-Piece Corner with J-Pocket–Select Cedar Woodgrain, White			FULL UNIT			HALF UNIT		
Nominal	Actual	Order Number	PCS	LF	Weight lbs	PCS	LF	Weight lbs
5/4 in. x 4 in. x 4 in. x 20 ft.	1 in. x 3-1/2 in. x 3-1/2 in. x 20 ft.	8315005TF	72	1440	2095	–	–	–
5/4 in. x 6 in. x 6 in. x 20 ft.	1 in. x 5-1/2 in. x 5-1/2 in. x 20 ft.	8315105TF	48	960	2290	–	–	–

\* To order full unit, add F to the end of the order number. To order half unit, add H to the end of the order number.

## Skirtboard

Skirtboards help improve fiber cement installation time and accuracy, while providing a beautiful finishing touch.



Reversible – smooth finish on one side, Select Cedar woodgrain on the other.



### Skirtboard–Select Cedar Woodgrain/Smooth, White


			HALF UNIT		
Nominal	Actual	Order Number	PCS	LF	Weight lbs
1 in. x 6 in. x 12 ft.	3/4 in. x 5-3/8 in. x 12 ft.	8113605TH	32	384	455
1 in. x 8 in. x 12 ft.	3/4 in. x 7-1/8 in. x 12 ft.	8113705TH	24	288	466
5/4 in. x 6 in. x 12 ft.	1 in. x 5-3/8 in. x 12 ft.	8113805TH	32	384	484
5/4 in. x 8 in. x 12 ft.	1 in. x 7-1/8 in. x 12 ft.	8113905TH	24	288	550

### Skirtboard with DualStart® design

CertaTrim® skirtboard is designed with identical beveled edges to set the first course and built-in drip edge at the bottom. It meets U.S. building codes requiring 6" ground clearance when installing fiber cement siding and is ideally suited for use as a transition panel between fiber cement siding styles. For ultimate style flexibility, Skirtboard panels are reversible, featuring a woodgrain finish on one side and a smooth finish on the other.

## Cortex® Hidden Fastening System

Makes fastener heads virtually invisible. Comes smooth or Select Cedar woodgrain with a 2 in. screw.



### Smooth - 2 in. Screws

Description	Order Number	Boxes/Carton	Net Weight lbs/CTN
50 LF Box - 75 screws (2 in.), 100 plugs, 1 setting tool	93180130005C	10	11
250 LF Box - 375 screws (2 in.), 400 plugs, 3 setting	93180135005C	6	27
750 LF Box - 1,125 screws (2 in.), 1,200 plugs, 6 setting	93180140005C	1	15

### Select Cedar Woodgrain - 2 in. Screws

Description	Order Number	Boxes/Carton	Net Weight lbs/CTN
50 LF Box - 75 screws (2 in.), 100 plugs, 1 setting tool	93380130005C	10	11
250 LF Box - 375 screws (2 in.), 400 plugs, 3 setting	93380135005C	6	27
750 LF Box - 1,125 screws (2 in.), 1,200 plugs, 6 setting	93380140005C	1	15



**CertainTeed Corporation**

20 Moores Road  
Malvern, PA 19355  
[www.certainteed.com](http://www.certainteed.com)

**ASK ABOUT ALL OF OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:**

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE  
GYPSUM • CEILINGS • INSULATION

Professional: 800-233-8990 Consumer: 800-782-8777