

UL Classified

CertainTeed Roofing Shingles

**What UL Classified
Means to the Homeowner
and Contractor**

*Landmark shown in
Moire, Alaska.*

UL Classified

CertainTeed Roofing Shingles

At CertainTeed, we subject our products to independent quality testing by Underwriters Laboratories to verify their quality and performance per stringent industry requirements.

Underwriters Laboratories LLC, or UL as it is universally known, is a global safety certification company approved to perform product testing in the U.S. by the Occupational Safety and Health Administration (OSHA).

Being UL Listed or Classified means that UL has tested representative samples of our shingles, and determined that they meet the specific, defined requirements needed to bear the UL Mark.



In the case of roofing shingles, the applicable UL requirement classifications are ASTM D7158, ASTM D3462, ASTM D3161, and UL 790 and UL 2218.

CertainTeed shingles are UL Classified to meet these standards, and here is what they mean for you:

ASTM D7158: Standard Test Method for Wind Resistance of Asphalt Shingles (Uplift Force/Uplift Resistance Method)

ASTM D7158 is a requirement per the model building codes adopted in full or in part by most jurisdictions in the United States.

The ASTM D7158 test classifies individual shingle products by their uplift wind resistance:

- **Class D** — Passed at basic wind speeds up to and including 116 MPH
- **Class G** — Passed at basic wind speeds up to and including 155 MPH
- **Class H** — Passed at basic wind speeds up to and including 194 MPH

Key Takeaway:

All CertainTeed field shingles are UL classified to ASTM D7158, Class H.



WIND
RESISTANT

ASTM D3462: Standard Test Specification for Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules

ASTM D3462 is considered a manufacturing standard that establishes a standard of minimum and maximum values for asphalt shingle masses and physical property requirements that include, but are not limited to:

- Tear Strength
- Wind Resistance
- Class A Fire Resistance
- Fastener Pull-through Resistance
- Granule Adhesion

Key Takeaway:

CertainTeed shingles are UL classified to ASTM D3462.



FIRE
RESISTANT



WIND
RESISTANT

ASTM D3161: Standard Test Method for Wind Resistance of Steep Slope Roofing Products (Fan-Induced Method)

ASTM D3161 is a requirement per the model building codes adopted in full or in part by most jurisdictions in the United States. The classifications of individual shingle products by their uplift wind resistance are:

- **Class A** — Shingles that passed testing at 60 MPH
- **Class D** — Shingles that passed testing at 90 MPH
- **Class F** — Shingles that passed testing at 110 MPH

Key Takeaway:

All CertainTeed shingles are UL classified to ASTM D3161, Class F.



WIND
RESISTANT

Florida Building Code Technical Application Standard (TAS) 100 Test Procedure of Wind and Wind-Driven Rain Resistance

While ASTM D7158 and D3161 classify resistance to the wind alone, the TAS 100 test classifies shingles for resistance to wind-driven rain.

TAS 100 is a Miami-Dade County requirement, an industry-acknowledged building code benchmark for high-performing roofing products due to the county's rigorous requirements for building in hurricane zones.



Key Takeaway:

All CertainTeed shingles that bear the Miami-Dade County Approved logo have been tested and passed the TAS 100 test.



WIND
RESISTANT

Class F — Shingles that passed testing at 110 MPH

Class H — Passed at basic wind speeds up to and including 194 MPH

UL LABEL

| Plant Location | Shingle Product Name | Class A Fire | Wind (Class F) | Physical Properties | Wind/Uplift | IR |
|----------------|--------------------------------------|--------------|----------------|---------------------|-------------|-------------------|
| | | UL790 | ASTM D3161 | ASTM D3462 | ASTM D7158 | Impact Resistance |
| Avery | Landmark® AR | ✓ | F | ✓ | H | |
| Avery | Landmark® PRO AR | ✓ | F | ✓ | H | |
| Ennis | Landmark® AR | ✓ | F | ✓ | H | |
| Ennis | Landmark® AR MaxDef | ✓ | F | ✓ | H | |
| Fremont | Landmark® TL Solaris non-AR | ✓ | F | ✓ | H | |
| Fremont | Landmark® TL | ✓ | F | ✓ | H | |
| Fremont | Landmark® TL AR | ✓ | F | ✓ | H | |
| Fremont | Presidential (Shake) Solaris® Non-AR | ✓ | F | ✓ | H | |
| Fremont | Presidential (Shake) TL Solaris® | ✓ | F | ✓ | H | |
| Fremont | Presidential Shake® AR | ✓ | F | ✓ | H | |
| Fremont | Presidential Shake® Non-AR | ✓ | F | ✓ | H | |
| Fremont | Presidential Shake® TL | ✓ | F | ✓ | H | |
| Fremont | Presidential Shake® TL AR | ✓ | F | ✓ | H | |
| Jonesburg | Landmark AR | ✓ | F | ✓ | H | |
| Jonesburg | Landmark AR Max Def | ✓ | F | ✓ | H | |
| Jonesburg | Landmark PRO AR | ✓ | F | ✓ | H | |
| Norwood | Landmark® AR | ✓ | F | ✓ | H | |
| Norwood | Landmark® Premium AR | ✓ | F | ✓ | H | |
| Norwood | Landmark® PRO AR | ✓ | F | ✓ | H | |
| Oxford | Belmont AR | ✓ | F | ✓ | H | |
| Oxford | Belmont AR IR | ✓ | F | ✓ | H | CLASS 4 |
| Oxford | Carriage House AR | ✓ | F | ✓ | H | |
| Oxford | Grand Manor® AR | ✓ | F | ✓ | H | |
| Oxford | Highland Slate AR | ✓ | F | ✓ | H | |
| Oxford | Landmark® AR | ✓ | F | ✓ | H | |
| Oxford | Landmark® Premium AR | ✓ | F | ✓ | H | |
| Oxford | Landmark® PRO AR | ✓ | F | ✓ | H | |
| Oxford | XT™ 25 AR | ✓ | F | ✓ | H | |
| Peachtree | Landmark® AR | ✓ | F | ✓ | H | |
| Peachtree | Landmark® PRO AR | ✓ | F | ✓ | H | |
| Portland | Landmark® AR | ✓ | F | ✓ | H | |
| Portland | Landmark® Premium AR | ✓ | F | ✓ | H | |
| Portland | Landmark® PRO AR/A 80 AR | ✓ | F | ✓ | H | |
| Portland | NorthGate ClimateFlex AR | ✓ | F | ✓ | H | CLASS 4 |
| Portland | Patriot AR (OR/WA only) | ✓ | F | ✓ | H | |
| Shakopee | Landmark ClimateFlex AR | ✓ | F | ✓ | H | CLASS 4 |
| Shakopee | Landmark® AR | ✓ | F | ✓ | H | |
| Shakopee | Landmark® Premium AR | ✓ | F | ✓ | H | |
| Shakopee | Landmark® PRO AR | ✓ | F | ✓ | H | |
| Shakopee | NorthGate Climate Flex AR | ✓ | F | ✓ | H | CLASS 4 |
| Shakopee | Presidential Shake® AR | ✓ | F | ✓ | H | |
| Shakopee | Presidential Shake® IR AR | ✓ | F | ✓ | H | CLASS 4 |
| Shakopee | Presidential Shake® TL AR | ✓ | F | ✓ | H | |
| Shakopee | XT™ 25 AR | ✓ | F | ✓ | H | |
| Shreveport | Landmark® AR | ✓ | F | ✓ | H | |
| Shreveport | XT™ 25 AR | ✓ | F | ✓ | H | |
| Wilmington | Landmark PRO Solaris | ✓ | F | ✓ | H | |
| Wilmington | Landmark Solaris | ✓ | F | ✓ | H | |
| Wilmington | Landmark Solaris AR | ✓ | F | ✓ | H | |
| Wilmington | Landmark® | ✓ | F | ✓ | H | |
| Wilmington | Landmark® Premium | ✓ | F | ✓ | H | |
| Wilmington | Landmark® PRO | ✓ | F | ✓ | H | |



Integrity Roof System®

A COMPLETE APPROACH TO LONG LASTING BEAUTY AND PERFORMANCE



With as much care as you take in selecting the right contractor, choosing the right roof system is equally as important. A CertainTeed Integrity Roof System combines key elements that help ensure you have a well-built roof for long-lasting performance.

It all starts with CertainTeed's broad line of shingles, featuring brilliant color blends, dramatic styles and shadow lines, and the strongest warranties in the industry. The right shingle can mean the difference between an average, everyday look or a beautiful roof that's the talk of the neighborhood.

Shingles are just the beginning - to keep your new roof performing and looking great for years to come it takes a complete CertainTeed Integrity Roof System approach.

1. Waterproofing Underlayment

The first step in your defense against the elements. Self-adhering underlayment is installed at vulnerable areas of your roof to help prevent leaks from wind-driven rain and ice dams.

2. Water-Resistant Underlayment

Provides a protective layer over the roof deck and acts as a secondary barrier against leaks.

3. Starter Shingles

Starter Shingles are the first course of shingles that are installed and designed to work in tandem with the roof shingles above for optimal shingle sealing and performance.

4. Shingles

Choose from a variety of Good-Better-Best styles to complement any roof design and fit your budget.

5. Hip & Ridge Caps

Available in numerous profiles, these accessories are used on the roof's hip and ridge lines for a distinctive finishing touch to your new roof.

6. Ventilation

A roof that breathes is shown to perform better and last longer. Ridge Vents, in combination with Intake Vents, allow air to flow on the underside of your roof deck, keeping the attic cooler in the summer and drier in the winter.



CertainTeed

CEILINGS • DECKING • FENCE • GYPSUM • INSULATION • RAILING • ROOFING • SIDING • TRIM
20 Moores Road, Malvern, PA 19355 Professional: 800-233-8990 Consumer: 800-782-8777 certainteed.com